FLAT-PANEL ISSUE

Information October 2000 Vol. 16, No. 10

Official Monthly Publication of the Society for Information Display



- Analog vs. Digital Interfaces
- Replacing the Color Wheel
- Computex Taipei 2000 Report
- INFOCOMM 2000 Report

At Optrex, We Can Put Any Bright Idea On Display.






Color Graphics LCD Module



Custom LCD Module



Monochrome Graphics LCD Module



Whatever your LCD needs – standard or custom – Optrex can offer an effective, cost-efficient solution. For over 30 years, manufacturers have relied upon Optrex for technologically-advanced character, monochrome, color and custom LCD configurations. Founded as a joint venture between Asahi Glass Co. LTD. and Mitsubishi Electric Corp., Optrex provides technical design and support through our own sales organization, and through more than 100 sales and distribution offices worldwide. For more information call Optrex, or see your electronics distributor today.



COVER: Pioneer covered the floor of its booth at INFOCOMM 2000 with 135 50-in. plasma-display panels. For coverage of INFOCOMM, see the extended editorial in this issue.



Pioneer New Media

For more on what's coming in *Information Display*, and for other news on information-display technology, check the SID Web site on the World Wide Web: http://www.sid.org.

Next Month in Information Display

Manufacturing Issue

- · Ramping up a New Technology
- Automated Yield-Management Software
- · Japan Chapter's 25th Jubilee
- IDMC Report

INFORMATION DISPLAY (ISSN 0362-0972) is published eleven times a year for the Society for Information Display by Palisades Institute for Research Services, Inc., 411 Lafayette Street, 2nd Floor, New York, NY 10003; Leonard H. Klein, President and CEO. EDITORIAL AND BUSINESS OFFICES: Jay Morreale, Managing Editor, Pulisades Institute for Research Services, Inc., 411 Lafayette Street, 2nd Floor, New York, NY 10003; telephone 212/460-9700. Send manuscripts to the attention of the Editor, ID. Director of Sales: Michele Klein, Palisades Institute for Research Services, Inc., 411 Lafayette Street, 2nd Floor, New York, NY 10003; 212/460-9700. SID HEADQUARTERS, for correspondence on subscriptions and membership: Society for Information Display, 31 East Julian Street, San Jose, CA 95112; telephone 408/977-1013, fax -1531. SUB-SCRIPTIONS: Information Display is distributed without charge to those qualified and to SID members as a benefit of membership (annual dues \$75.00). Subscriptions to others: U.S. & Canada: \$36.00 one year, \$7.50 single copy; elsewhere: \$72.00 one year, \$7.50 single copy. PRINTED by Sheridan Printing Company, Alpha. NJ 08865. Third-class postage paid at Easton, PA. PERMISSIONS: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limits of the U.S. copyright law for private use of patrons, providing a fee of \$2.00 per article is paid to the Copyright Clearance Center, 21 Congress Street, Salem, MA 01970 (reference serial code 0362-0972/00/\$1.00 + \$0.00). Instructors are permitted to photocopy isolated articles for noncommercial classroom use without fee. This permission does not apply to any special reports or lists published in this magazine. For other copying, reprint or republication permission, write to Society for Information Display, 31 East Julian Street, San Jose, CA 95112. Copyright @ 2000 Society for Information Display. All rights

Information DISPLAY

OCTOBER 2000 VOL. 16, NO. 10

2 Editorial

INFOCOMM Isn't about Display Technology – but It Is Kenneth I. Werner

4 A View from the Hilltop

Contrary to Popular Opinion . . .

Aris Silzars

14 Both Analog and Digital Interfaces Suit Today's LCD Applications

The company that championed analog interfaces for LCDs feels that digital interfaces have developed to the point where they deserve a place on the menu – but the customer still gets to choose.

Robert Dunhouse

20 Replacing the Color Wheel

An electrically switchable color filter provides a solid-state alternative to the rotating color wheel for microdisplay-based color-sequential projection applications.

Ron Smith and Milan Popovich

24 Computex Taipei 2000

Fujitsu's new 23-in. AMLCD appeared in three monitors at Taiwan's premier IT show – an essential stop for many members of the global computer industry.

Bryan Norris

46 Erratum

The Color Inversion Target that appeared in the June issue was a developmental version, not the final version shown here.

- 51 Calendar of Display-Related Events
- 52 Sustaining Members
- 52 Index to Advertisers

editorial



INFOCOMM Isn't about Display Technology - but It Is

INFOCOMM, held this year in Anaheim, California, June 15-17, is the major annual event of the International Communications Industries Association (ICIA) - a trade association for audio-visual dealers. That means that more than anything else INFOCOMM is a projector show - although there is also plenty of opportunity to see microphones, speakers, presenta-

tion monitors, multimedia control centers, matrix switches, scalers, distribution amplifiers, and cabling. More than over 26,000 attendees came to see these wares - 12% more than last year.

INFOCOMM is not overtly about display technology (although a tutorial seminar on display markets and technologies was given by Dick Blaha, Joe Hallett, and yours truly), but the show is very much about products that depend hugely upon display technology for their effectiveness, appeal, and marketability. And if your interest is in the technology, you can find people who are happy to talk to you. (The major exhibitors, some of whom set up several large-venue projectors in huge tent-like areas, need so many people to staff their booths that they even grab people from their engineering divisions.) After a couple of days of talking to owners of mom-and-pop audio-visual dealerships, at least some of those engineers seemed desperate to talk technology to anyone who would listen.

And there was a lot to listen to and see concerning both technology and products - but I will try to stick to just a few aspects of the conference that struck me as particularly interesting.

DMD Dominates the High End

Digital Light Processing™ (DLP™) systems using Texas Instruments' Digital Micromirror Device[™] (DMD[™]) reflective microdisplay dominates in largevenue very-high-brightness projectors from the likes of BARCO, Christie Digital Systems (formerly Electrohome), Digital Projection (now owned by Imax), Panasonic, and Sony. The impact of these 10,000-lumen-and-up projectors is remarkable, but when cinematic or video sequences were viewed on them for an extended period of time, two kinds of motion artifacts became clear.

The first was a break-up along diagonal edges when the image of the edge was moving slowly or when the camera was panning horizontally across the diagonal edge. The second was a kind of noise or granularity in evenly colored areas such as sky, which was attributed by Bill Bleha of NEC (who is not in the DMD camp, as you will see) to the DMD's pulse-code-modulation approach to generating gray levels and colors.

Although these artifacts seem typical of the technology, they were not present equally in the implementations of all manufacturers. Indeed, at least one of the manufacturers listed above seems to have tamed these artifacts to a remarkable degree. (Unfortunately, I can't tell you which one because a subsequent hardware mishap destroyed my PC-based viewing notes from the show. You have my apologies. I'll do better next year.) For digital cinema, Universal Studios' Jerry Pierce has said that black levels also need improving, but I guess my eye isn't educated enough to be bothered by that one, at least not under the conditions present at INFOCOMM.

continued on page 32

Information DISPLAY

Editor: Kenneth I. Werner Managing Editor: Jay Morreale Administrative Editor: Dian Mecca Administrative Assistant: Ralph Nadell Contributing Editors: Aris Silzars, Bryan Norris, Chuck McLaughlin, Joe Hallett, Alfred Poor Advertising Manager: Jay Morreale

Sales Manager: Tracy Leibowitz

Regional Associate Editors

Allan Kmetz (Americas) Lucent Technologies Liberty Corner, New Jersey

Shigeo Mikoshiba (Asia) University of Electro-Communications Tokyo, Japan

Alan Mosley (Europe) Central Research Laboratories Hayes, Middlesex, U.K.

Advisory Editors

Carl Machover Machover Associates White Plains, New York

Alan Sobel Consultant Evanston, Illinois

Webster E. Howard eMagin Corp. Hopewell Junction, New York

Ernst Lueder University of Stuttgart Stuttgart Germany

Sungkyoo Lim Information Display Research Center. Choongnam, Korea

The opinions expressed in editorials, columns, and feature articles do not necessarily reflect the opinions of the editor or publisher of Information Display Magazine, nor do they necessarily reflect the position of the Society for Information Display.

The Evolution of Powerful Video Generators Continues!

The Digital Video Generator for Digital CRT's and High-End FPD's

ASTRO VG-852

Do you engineer or evaluate high-end FPD's and/or interface circuits for Digital CRT's? The VG-852 provides the high speed signals through LVDS, TMDS (Panel Link) and parallel outputs (24 or 48 bits/pixel) via DVI and other standard connectors.

- ▼ 130 MHz/260 MHz dot clock per channel
- ▼ Fully DDC -compatible
- ▼ Bitmap operation supported
- ▼ Operated/Programmed from Frontpanel or PC
- ▼ Most flexible through simultaneous parallel and serial outputs

Standalone Digital units from \$4000

DIGITAL . STANDALONE . DIGITAL . STANDALONE . DIGITAL . STANDALONE

Best 400 MHz Performance at the Lowest Price



ASTRO VG-844

Use your PC to program and a Remote Box to control/operate this brand new High Performance Video Generator. It even offers HDTV/Y-P_R-P_R compatibility. You will love its easy operation!

- ▼ 400 MHz dot clock
- ▼ 850 Programmable timing/pattern combos
- ▼ 150 Fixed timing/pattern combos
- ▼ Ideal for HDTV-manufacturing
- ▼ Ideal for any High Resolution Monitor

Standalone Analog units from \$2,950

ANALOG . STANDALONE . ANALOG . STANDALONE . ANALOG . STANDALONE

Contact us today! www.team-systems.com 1-800-338-1981 info@team-systems.com

Team Systems... The Smart Choice!

Circle no. 2



a view from the hilltop



Contrary to Popular Opinion ...

by Aris Silzars

In a recent issue of *Popular Science* magazine, one of the featured articles was a compendium of predictions about what automobiles will be like in 25 years. A futurist by the name of Amory Lovins from the Rocky Mountain Institute made the prediction that "Today's auto industry will be toast by about 2020."

He went on to say that "Cars in 2025 will be molded from advanced polymer composites, they will be lighter by threefold, ultra-low drag yet more crashworthy, durable, reliable, recyclable, and spacious, with electric propulsion powered by direct hydrogen fuel cells." Do you think Mr. Lovins is right in these predictions, given the huge investment in existing factories, the extensive and well-established supply chain, and the need to thoroughly test any new material before committing it to a cost-sensitive product that must pass all kinds of safety tests and government regulations? If you do, then perhaps you also believe in the tooth fairy?

In the mid-eighties, there was much talk about the imminent arrival of the paperless office. After all, with desktop computers evolving to provide all the storage capability that anyone could reasonably need, why continue to clutter up our offices with information on pieces of paper?

At about the same time, we also experienced the first wave of promotion for teleconferencing as a substitute for business travel. But what do airports look like 15 years later – in the year 2000? Are they peaceful, nearly empty havens serving only those pleasure-related travel needs that cannot easily be met through the widespread use of teleconferencing? Did even one of the technology-driven futurists envision (from their mid-eighties perspective) today's reality of airplanes flying filled to capacity, with people squeezed into exceedingly small spaces, eating incredibly bad food, and frequently not even departing or arriving at their intended times?

Maybe we can learn something by comparing these predictions to the actual outcomes. Perhaps we should consider that just as television did not eliminate movie theaters and movie theaters did not eliminate live theater, a new technology will often create a result exactly opposite to what a cursory observation might indicate. We all now know that instead of giving us a paperless office, the computer gave us the power to create vast new quantities of paper. Now, as we write, our word processors allow us to regenerate one or more pages with each minor correction, and we often reprint the entire document with just one thoughtless keystroke. In this context, let us consider what the Internet may be facilitating.

We are communicating with each other more than ever before. We have continued our use of location-based telephones. We have increased our communications capability by adding wearable, location-independent telephones. Many of us now have home fax machines. And the use of e-mail and the Internet have added yet another channel by which we communicate. The Internet has proved to be especially handy for international messages. The price can be low, or virtually free in some parts of the world, and the messages can be sent without regard to time differences. Language barriers are also easier to manage than *via* telephone. If we have all this available to us, then why are we travelling more

continued on page 44

SID Executive Committee

President: A. Silzars
President-Elect: A. R. Kmetz
Regional VP, Americas: J. Larimer
Regional VP, Asia: A. Iwamoto
Regional VP, Europe: A. Van Calster
Treasurer: R. L. Wisnieff
Secretary: S. Mikoshiba
Past President: A. C. Lowe

Directors

Bay Area: J. Larimer Beijing: S. Ding Belarus: A. Smirnov Canada: T. Schmidt Delaware Valley: J. W. Parker III France: M. Hareng Greater Dayton: R. Holmes Hong Kong: C. C. Chang Japan: M. Maeda Korea: M. Oh Los Angeles: P. Baron Metropolitan Detroit: R. Donofrio Mid-Atlantic: M. Anandan Mid-Europe: D. Theis Minneapolis/St. Paul: V. Holec New England: W. Hamilton Pacific Northwest: J. Rupp Russia: M. Tomilin San Diego: T. Iki Southwest: R. Seery Taipei: F. C. Luo Texas: 7. Yaniy U.K. & Ireland: C. Williams Ukraine: V. Nazarenko

Committee Chairs

Committee Chairs
Academic: H. Uchiike
Archives/Historian: D. Dumont
Bylaws: E. Lueder
Chapter Formation: B. Needham
Communications: H. Hoffman
Convention: P. M. Heyman
Definitions & Standards: G. McGuire
Honors & Awards: A. I. Lakatos
Long-Range Planning: T. Iki
Membership: R. Seery
Nominations: A. Lowe
Publications: D. Mentley

Chapter Chairs

Bay Area: N. Balram Beijing: H. C. Hu Belarus: E. Kaloshkin Canada: A. Kitai Delaware Valley: L. Bryner France: R. Meyer Greater Dayton: J. Byrd Hong Kong: H. S. Kwok Japan: M. Maeda Korea: M. Han Los Angeles: M. Kesselman Metropolitan Detroit: S. Pala Mid-Atlantic: A. Ghosh Mid-Europe: J. Kimmel Minneapolis/St. Paul: V. Holec New England: S. Atwood Pacific Northwest: T. Yuzuriha Russia: S. Darevsky San Diego: A. Wilson Southwest: J. O'Donnell Taipei: H.-P. D. Shieh Texas: R. Fink U.K. & Ireland: J. Raines Ukraine: V. Sorokin


Data Manager: Jenny Needham Society for Information Display

Executive Director: Dee Dumont


31 East Julian Street San Jose, CA 95112 408/977-1013, fax -1531 e-mail: office@sid.org http://www.sid.org

Office Administration

NOW YOU CAN GO ANALOG, DIGITAL, OR BOTH WAYS.



VIDEO DELIVERED YOUR WAY... BENCHTOPS, PCI PLUG-INS, OR BUFFERS.



DVI VIDEO GENERATORS

330 MHz Digital 360 MHz Analog

LVDS VIDEO GENERATORS

400 MHz Digital 360 MHz Analog

DIGITAL DATA BUFFERS

330 MHz DVI




The Art of Technology

QUANTUM DATA

2111 Big Timber Road, Elgin, IL 60123 Phone: 847..888.0450 Fax: 847..888.2802 Website: http://www.quantumdata.com E-mail: sales@quantumdata.com

Circle no. 3





SAMSUNG TFT-LCD


Reflect on this. Behind every great image is great technology. WiseView™ brings you the superior technology inside many of the displays, laptops, cell phones, video cameras, kiosks and PDAs you use today. With exceptional resolution, distortion-free viewing from any angle, and a wide range of screen sizes, the WiseView™ brand has become the #1 TFT-LCD choice of the top respected name manufacturers.

The TFT-LCD you choose does make a difference. Believe what you see. Now you can count on WiseView™ from Samsung for reliability and innovation in every TFT-LCD visual display. Look for the WiseView™ logo, your assurance of the highest quality in digital displays. Trust WiseView™ to mirror your reality.

For more information, visit us at www.samsungTFTLCD.com.









SSD1820/1.SSD1850/1

SOLOMON Systech proudly presents to you a new series of LCD driver / controller IC, highly integrated with all the advanced features, the perfect match to your new design of mobile phones, telecommunication products, smart handheld devices...etc, everything you want in this new age of millennium.




		- "	
	Part Number	Resolution	
	SSD1820	128x64, Monochrome	Ì
	SSD1821	128x80, Monochrome	
Г	SSD1850	128x64, 4 level gray scale	
T	SSD1851	128x80, 4 level gray scale	1



Matching visually - A Big Display is perfect to show pop-up menu, calendar, appointments and notes, while display in 4 level gray scale brings fun in greeting page, games or watermark with company logo or fancy cartoon characters.

Matching electrically -Power consumption is as low as 0.36 mW during display. High speed communication interface (max. 17MHzSI or 6MHz PPI) and



Matching mechanically - Minimum connection pins can be as few as only 11 input pins and they are available in gold bump die for both COG or COF applications or in TAB package.

Check out details from our web, distributors or sales representative now!

Features brief

- · 128x64/80 Graphic Display with a Icon Line
- · Mono or Four Gray Levels for each display pixel
- · Programmable Multiplex ratio [16Mux-65/81Mux]
- · Single Supply Operation, 1.8V-3.0V
- Low Current Sleep Mode(<1.0μA)
- · On-Chip Voltage Generator / External Power Supply
- · Software Selectable 2X / 3X / 4X / 5X /6X On-Chip DC-DC Converter
- · On-Chip Oscillator
- · Software Selectable On-Chip Bias Dividers
- · Programmable 1/4,1/5,1/6,1/7,1/8,1/9,1/10 and 1/11
- · Maximum +15.0V LCD Driving Output Voltage
- · Hardware pin selectable for 8-bit 6800-series Parallel Interface, 8-bit 8080-series Parallel Interface, 3-wire Serial Peripheral interface or 4-wire Serial Peripheral Interface
- · On-Chip 128x65/81 Graphic Display Data RAM
- · Re-mapping of Row and Column Drivers
- · Vertical Scrolling
- · Display Offset Control
- · 64 Levels Internal Contrast Control
- · External Contrast Control
- · Maximum 17MHz SPI or 6 MHz PPI operation
- · Selectable LCD Driving Voltage Temperature Coefficients (8 settings)
- · Available in Gold Bump Die and Standard TAB (Tape Automated Bonding) Package

SOLOMON Systech Limited

SOLOMON GROUP

Units 1-9, 37th Floor, Tower 1, Millennium City, 388 Kwun Tong Road, Kwun Tong, Kowloon, Hong Kong. Tel: (852) 2207 1111 • Fax: (852) 2267 0800 • E-mail: sales@solomon-systech.com

http://www.solomon-systech.com Circle no. 5

Flat Display Measurement

Westar's FPD Performance Measurement Systems give you something unique -precision and flexibility. Westar's FPM Systems provide photometric and colorimetric measurements, real-time reporting of test results, increased test and analysis productivity, and performs standard tests as well as your own custom tests.

Westar's FPD Performance **Measurement System**

- Tests displays up to 54" automatically.
- · Tests for luminance, chrominance, contrast & viewing angle performance...and more!
 - · Uses popular sensors, such as PR, Minolta, and Topcon.

Performs VESA, TCO '99 and ISO 13406-2 tests!

Powerful ViewPoint™ software integrates sensors, motion control, analysis, and reporting functions. It also includes a wide variety of fully integrated display interfaces!



Video and CD

For more information on Westar's revolutionary new systems, call today for our FREE video and CD.

Copyright © 2000. Westar Corporation Trademarks are property of their respective owners. Patents Pending



www.westar.com/fpm

Westar Corporation, 636-498-6004 ext.286

Kyokuto Boeki Kaisha, Ltd., 03-3244-3795

Advanced Team Enterprise Co., Ltd., 02-27035466 Advanced Team Technology Service, 769-632-6399

Ginsbury Electronics, Ltd., +44 (0) 1634-298900

Truco, Inc., 02-3465-2004

USA:

Japan:

Korea: Taiwan:


China: Europe:

Circle no. 6



Circle no. 7

Contact us now for all your display requirements



Aydin Displays Limited

Intech House Wilbury Way Hitchin Herts SG4 0TW UK
Tel: +44 1462 458804 Fax: +44 1462 456761
Andy Chapman – Regional Sales Manager Europe or
Terry Chisholm – Regional Sales Manager UK
www.aydindisplays.com



Microdisplay Inspection

The Westar Microdisplay **Inspection System tests** microdisplays with resolutions QVGA to beyond **UXGA**, without changing camera or optics!

For laboratory, production, or QA/QC environments, the new Microdisplay Inspection System makes fast and accurate measurements using an integrated optical assembly with computer-controlled zoom and focus, spectrometer instrument, and a CCD camera.


Perform standard tests, including:

- % reflectance
- · contrast ratio
 - · uniformity
- · pixel defects
- · spectral response
 - · plus others!









Powerful MicroPoint™ Software has two modes: Manual Control Interface for rapid laboratory measurements, and an Automated Test Sequencer for production.

Call today for more information!



Products for better displays.™

USA: Japan:

China:

Westar Corporation, 636-498-6004 ext.286 Kyokuto Boeki Kaisha, Ltd., 03-3244-3795

Korea: Taiwan:

Advanced Team Enterprise Co., Ltd., 02-27035466 Advanced Team Technology Service, 769-632-6399

Ginsbury Electronics, Ltd., +44 (0) 1634-298900 Europe: www.westar.com/mdis

Truco, Inc., 02-3465-2004

Copyright @ 2000. Westar Corporation Trademarks are property of their respective owners

Both Analog and Digital Interfaces Suit Today's LCD Applications

The company that championed analog interfaces for LCDs feels that digital interfaces have developed to the point where they deserve a place on the menu – but the customer still gets to choose.

by Robert Dunhouse

IQUID-CRYSTAL-DISPLAY (LCD) panels of unprecedented resolution and color capability have been brought to market by LCD manufacturers to fill the demands created by today's video/multimedia explosion. These panels require less physical space, generate less electromagnetic interference (EMI), use less power, and are easier on the eyes than previous generations of LCDs.

Manufacturers have used either analog or digital interfacing technologies for LCD panels, depending on the application's requirements. Recent improvements in digital interfacing and panel design, combined with new standardization efforts, have given momentum to digital interfaces (Fig. 1). This article examines the trade-offs between analog and digital interfaces for LCDs.

The Analog Interface

Both analog and digital video sources have been around for quite some time. Analog video is common in desktop systems, while digital prevails in the laptop world. The enormous number of computers that currently have analog video outputs ensures that analog interfacing support will be in demand for years to come. But will the recent improve-

Robert Dunhouse is Engineering Manager at NEC Electronics, 2880 Scott Blvd., Santa Clara, CA 95052; telephone 408/588-6000, fax -6272, e-mail: Robert_Dunhouse@el.nec. com.



NEC Electronics

Fig. 1: NEC's 20.1-in. SXGA in-plane-switching AMLCD panel is now available with a choice of an analog or a two-channel LVDS interface.




Fig. 2: The analog LCD interface is simple, works for display resolutions from VGA to UXGA, and can be implemented with only five wires (not including grounds) - red, green, blue, Hsync, and Vsvnc.

ments in digital connectivity eventually spell the end of analog? Not in cases where differentiating between slight variances in gray scale is vitally important. Applications that make critical demands on gray scale include medical ultrasound and x-ray.

An interface using an analog LCD is able to sample the variable RGB input voltages, hold that sample, and then directly apply that sample to the driving transistor of each sub-pixel in the display. Theoretically, this infinite precision in sampling RGB information results in an infinite gray scale. Digital panels, conversely, must apply voltages based on digitally addressed voltage steps, so the gray scale reflects the number of bits in the digital inter-

Analog interfaces also simplify the signal delivery from the video controller to the LCD, and are robust over fairly large cable lengths, allowing the display to be located some distance from the video source. The analog interface can be implemented with only five wires (not including grounds) - red, green, blue, horizontal sync (Hsync), and vertical sync (Vsync) - or four wires using a sync-ongreen method (Fig. 2). This simple interface works for a wide range of display resolutions, from VGA to UXGA.

However, analog LCDs must receive red, green, blue, Hsync, and Vsync information, and then sample Hsync to regenerate a pixel clock by using a phase-locked-loop (PLL) circuit on the LCD interface. This regenerated pixel clock sets the timing used to sample, hold, and apply color information to the panel. Because higher resolutions require higher rates of information throughput, today's highresolution panels need more frequent and accurate sampling. Any inaccuracies in the color information or sampling points result in poor video performance. Inaccurate color information may be due to an impedance mismatch that produces reflections or excessive ringing on the RGB color lines. Sampling inaccuracies can be caused by clock-jitter, phase, frequency, and drift issues.

The setup of analog panels is slightly more complex than for digital panels. The end user must set an analog panel's horizontal totals, horizontal and vertical positions, and clock phase adjustments based on the video-card characteristics. In a digital interface, none of these adjustments is necessary: The monitor automatically centers and sizes the image on the screen. This digital advantage is a small one because the analog interface requires the user to perform the adjustment procedure only once, when the LCD monitor is first connected to a video source.

Of course, all computer-based video starts life as digital information. Current video cards must convert digital video to analog and - in the case of digital LCDs - the monitor

must convert the video back to digital form. As with all conversions, these are less than ideal. Because it preserves the original video information and eliminates the need to convert, a digital interface applied to a digital LCD is attractive.

The Digital Interface

Recent technological improvements in the areas of connectivity, color depth, and cost are driving the industry to digital interfacing. In the PC market, rising demand for lower-cost higher-performance systems makes reductions in circuitry and cost vitally important. Converting inherently digital video signals to analog form and then converting them back to digital in an LCD monitor clearly costs more than simply driving a digital signal to the LCD.

As the price of LCD monitors has plummeted, coming closer to the buying range of the average computer user, the portion of the price tag attributable to the digital/analog/digital interface becomes a more important consideration. To continue the push to the desktop market, LCDs must have an inexpensive digital interface.

Previous generations of digital panels with 6 bits per color had a distinct disadvantage in the number of total colors they could display compared to analog. With the introduction of 8-bit-per-color digital drivers, the newest panels can display up to 16.7 million colors, rivaling analog panels (see Table 1).

The Digital Connection

The primary goals of a digital LCD interface are to minimize the number of conductors and to lower the overall cost of the display subsystem. But the number of conductors can be problematic if a straightforward parallel interface is used (Fig. 3). To support a 6-bit color display, for example, an un-encoded interface would have 22 signal lines before adding the shielding and/or multiple grounds necessary to ensure signal integrity and acceptable EMI.

Table 1: Display Colors

Bits per Color	Total Color Bits	Gray Scale	Number of Colors
6	18	64	262,144
8	24	256	16,777,216
Analog	3 Analog	>256	16 Million +

LCD interfaces




Fig. 3: If a digital interface is implemented as a straightforward parallel interface, the number of conductors becomes unwieldy. To support a 6-bit color display, an un-encoded interface would have to have 22 signal lines – before adding the necessary shielding and/or multiple grounds.

Encoding the signals can simplify an otherwise unwieldy interface. At the same time, encoding complicates the interface issue because it forces manufacturers to choose an encoding scheme. Several companies and organizations have proposed such schemes, beginning with low-voltage differential signaling (LVDS).

LVDS originally addressed closed environments such as laptop computers and industrial equipment, where the manufacturer fully controls the interface between the video source and the LCD. LVDS reduces the interface to just five signal pairs (Fig. 4). LVDS is ideal for laptop computers because its low-voltage operation minimizes power consumption and EMI while enabling high-speed data transfers, and its differential signaling minimizes the effects of common-mode noise.

LVDS did not make a direct transition to other display applications – notably desktop monitors – for a number of reasons. To start with, the two original competing LVDS implementations from National Semiconductor and Texas Instruments were mutually incompatible. But that wasn't all. They were optimized for closed environments where video-source-to-display lengths are minimal, and their limited bandwidth supported resolutions only as high as XGA. This beginning made it difficult for the industry to settle on LVDS as a universal standard.

The situation has been resolved (or further complicated, depending on whom one asks) by the introduction of an alternative interface technology, transition minimized differential signaling (TMDS), developed by Silicon Image, Inc. and marketed in the company's PanelLink™ products. TMDS is similar to LVDS in that both technologies use small voltage swings and differential signaling.

TMDS adds a proprietary protocol that performs dc balancing and uses exclusive OR (XOR) and exclusive NOR (XNOR) operations to reduce the number of HIGH/LOW and LOW/HIGH signal transitions.

TMDS requires fewer signal lines than LVDS (Fig. 5). Further, TMDS offers higher skew tolerance, clock-edge independence, and easy scalability that supports a single interface, from VGA to UXGA. TMDS enables reliable data transmission over distances of many meters using copper twisted-pair cable, and the distance can be greatly extended using fiber optics. Genesis Microchip has successfully tested its receiver/scalar chip using 10-m video cables.

Since TMDS gained momentum, National Semiconductor and Texas Instruments have offered an LVDS implementation called OpenLDI for desktop monitors. Other digital interfaces have also been proposed and implemented, including the Gigabit Video Interface (GVIF) from Sony.

Standardization Helps

At this point, TMDS has a crucial advantage: standardization by several groups. First was the Plug and Display (P&D) group of the Video Electronics Standards Association (VESA). Two industry groups have also endorsed the use of TMDS: the Digital Flat Panel (DFP) group led by Compaq and the Digital Display Working Group (DDWG) led




Fig. 4: The LVDS interface, originally developed for laptop computers and other closed environments, implements a digital interface with just five signal pairs.




Fig. 5: The TMDS interface - now standardized as the Digital Visual Interface (DVI) - requires fewer signal lines than LVDS, supports higher screen resolutions up to UXGA, and enables reliable data transmission on simple twisted-pair cable over longer distances than does LVDS.

by Intel, Compaq, Fujitsu, Hewlett-Packard, IBM, NEC, and Silicon Image. The DDWG's entry is called the Digital Visual Interface (DVI). The details of these interfaces differ, notably in their connector configurations and whether scaling is done by the monitor or the video card. However, the common reliance on TMDS allows these variants to interoperate in most cases by the use of adapters.

Signs currently point to the wide adoption of DVI as the digital interface of choice for flat-panel displays. Dell offers DVI-equipped flat-panel monitors and systems whose integrated video subsystems have a DVI port, although the subsystems also have a legacy RGB analog interface for safety's sake. In a significant turn, TI has embraced DVI with a line of interface chips.

Another interesting development for DVI is Intel's High-Bandwidth Digital Content Protection (HDCP) scheme. HDCP addresses a problem that affects any digital interface between the video source and the display: an unprotected interface allows pirates to siphon off the video stream (from a DVD, for example). To protect DVI outputs from being copied, HDCP provides encryption and authentication to verify that a display device is licensed to receive protected content. The scheme is designed to preserve image quality and operate transparently for users. With this protection, DVI is being considered as an

interface for TV set-top boxes, digital satellite receivers, and HDTV displays, as well as PCs. The interface's initial ability to support 4.9-Gbit/sec video streams makes it more than adequate for HDTV, and DVI's 9.9-Gbit/sec double-link version offers plenty of bandwidth headroom. (The DVI specification is available at www.ddwg.org.)

Supporting Different Applications

Like most flat-panel-display manufacturers, NEC (the author's employer) will support any interface that the market chooses. NEC is in the unique position of being the only LCD vendor to make both analog and digital displays. This provides us with a unique point of view, and from this point of view it is clear that different applications require different interfaces. All that being said, NEC sees DVI as an excellent solution for many applications and will support the interface.

One way to accommodate differing requirements is to use an approach in which the LCD has a "native" LVDS interface that directly supports applications with closed environments. For open environments that require an interface such as DVI, an inexpensive scalar receiver/transmitter board could easily handle the necessary translations.

No matter what the application, the outlook is for increased use of digital interfaces. These interfaces will help simplify system

design and take full advantage of the high image quality offered by AMLCDs and other high-resolution flat-panel displays.



Any way you look at it...



we've covered every angle.

Photo Research is proud to introduce the PR-9000, the total solution for Display Inspection.

- Electro-Optical performance of Flat Panel Displays (FPDs or CRTs)
- Luminance, Contrast, Ambient Contrast, Chromaticity, and Viewing Angle Performance
- Programmable Automated Test Sequences
- Industry-Standard Photometers and Spectroradiometers
- · Open software and hardware architecture

The Photo Research PR-9000 is a completely automated Flat Panel Display (FPD) Inspection System that offers a fast and reliable solution for FPD manufacturers and their customers to solve brightness and color quality problems.

The PR-9000 completely characterizes an FPD over its entire viewing envelope by performing accurate measurements of luminance, contract and chromaticity.

The standard PR-9000 features a goniometer that uses an optical "breadboard" design. This ensures maximum flexibility in setting up the PR-9000 for almost any display with minimal effort.

The display under test (DUT) can also be custom designed to meet the needs of low volume quality

control or high volume 100% manufacturing inspection. The standard fixturing will accommodate a wide variety of FPD and CRT monitors. This feature makes it attractive for R&D and production environments where repeatable and reliable results are a necessity.

The PR-9000 also features industry-standard instruments to capture and analyze the characteristics of your displays as required by today's demanding ergonomic standards.

The system Software is designed with the concept of an open architecture in mind. Using Labview® as the elements to drive the motion, instruments and DUTs permits us to accommodate most applications and requirements with minimal effort.


Photo Research has brought to light its 55 year knowledge and reputation to solve your development and manufacturing problems.

Contact us today for more details.




PHOTO RESEARCH, INC.

9731 Topanga Canyon Place, Chatsworth, CA 91311-4135 Phone: 818-341-5151 ■ FAX: 818-341-7070 http://www.photoresearch.com e-mail: sales@photoresearch.com



Circle no. 13



Replacing the Color Wheel

An electrically switchable color filter provides a solid-state alternative to the rotating color wheel for microdisplay-based color-sequential projection applications.

by Ron Smith and Milan Popovich

ICRODISPLAY-BASED rearprojection displays are expected to challenge
CRTs in the next few years. Apart from
reductions in device costs and continuing
improvement in performance, the success of
microdisplays will be predicated on advances
in enabling technologies, including lamps,
electronics, and optics.

The two leading projection-display architectures are three-chip and color-sequential one-chip. Three-chip projection engines avoid the need for color-sequential illumination, and the relatively low cost of CMOS backplane technology may enable affordable three-chip solutions. Higher throughput is the key benefit, but the process of splitting the lamp output into three primary colors, directing each color to an imager, and then recombining the three bands into a single beam for projection is inevitably complex and expensive, requiring precision mechanical structures.

Single-Chip Solutions

In contrast, one-chip color-sequential projection engines are simpler and cheaper to imple-

Ron Smith is Director, Microdisplay Photonics, at DigiLens Inc., 306 Potrero Ave., Sunnyvale, CA 94086; telephone 408/737-1100, ext. 240, fax 408/737-1190, e-mail: ron.smith @digilens.com. Milan Popovich is Vice President, Intellectual Property, and Chief Scientific Officer for DigiLens, Ltd., Syston, Leicester, U.K; telephone +44-116-264-1030, fax +44-116-285-5297, e-mail: milan. popovich@digilens.com.

ment. While they have inherently less luminous throughput efficiency than a three-chip engine, it is likely that future advances in arc lamps, display optics, and microdisplays will enable one-chip projection engines with sufficient throughput for a variety of projection applications.

Current microdisplays are broadly divided into micro-electromechanical (MEM) and liquid-crystal—on—silicon (LCoS) devices. The most successful implementation of MEMs is the Texas Instruments Digital Micromirror Device[™] (DMD[™]), which benefits from many years of development and is currently the only commercially available microdisplay that switches fast enough for color-sequential operation. The DMD has secured a strong position in the front-projec-

tion market by delivering high throughput, but cost, yield, and scalability to higher resolutions continue to be major issues. LCoS promises higher resolution and low cost.

The leading LCoS devices are twistednematic (TN) and ferroelectric liquid-crystal
(FLC) devices. Transmissive and reflective
TN devices are available, with the latter offering an improvement in efficiency over transmissive TN at higher resolutions. Throughput
may benefit from recent developments in
polarization conversion. The slow-switching
characteristics of TN displays make them particularly susceptible to color motion artifacts.
In contrast, FLC displays offer much faster
switching speeds, which make them more
compatible with color-sequential single-chip
systems.




Fig. 1: An ASIF is a stack of three electrically switched Bragg gratings (ESBGs), each of which is designed to produce red, green, or blue light at the desired diffraction angle.



Fig. 2: This demonstrator was created by removing the color wheel from an InFocus 435Z front projector and replacing the fold mirror with a custom-fabricated ASIF.

Filtering Light for Color-Sequential Systems

In a single-chip projection engine, the white light from a lamp must be temporally separated into red, green, and blue spectral bands to create a full-color image from the microdisplay. This is ordinarily achieved using a rotating mechanical color wheel. But as designers continue to grapple with the problems of eliminating noise and improving performance, the ubiquitous color wheel will face competition from solid-state solutions.

ColorSwitch™ liquid-crystal switching technology developed by ColorLink offers a possible solid-state replacement for color wheels. And at DigiLens, we are bringing a new photonic technology to market: a customizable white-light color-sequential filter system called an application-specific integrated filter (ASIFTM). The ASIF is a solidstate alternative to the color wheel for unpolarized MEMs and polarized LCoS microdisplay-based display systems such as business projectors, HDTVs, and computer monitors.

ASIF Technology

The DigiLens ASIF makes use of a new electrically switchable Bragg grating (ESBG) technology which merges a proprietary holographic polymer-dispersed liquid-crystal (H-PDLC) material with a unique manufacturing process. ESBGs differ from conventional holographic optical elements in one key respect - their refractive-index modulation, and therefore their diffraction efficiency, can be varied as a function of applied electric

An ASIF is essentially a stack of three ESBGs, each of which is designed to reflect red, green, or blue light at the desired diffraction angle (Fig. 1). But when a voltage is applied to one of these gratings, its grating structure is effectively erased and light passes through it without being diffracted. By rapidly switching between the layers in synchronization with the display chip, the sequential red, green, and blue illumination allows the microdisplay to generate a highdefinition full-color image.

Each ESBG is sandwiched between flat optical glass or plastic substrates, with ITO electrode coatings applied to the inside surfaces of each plate. To prove the concept, a demonstrator was created by removing the color wheel from an InFocus 435Z front projector and replacing the fold mirror with a custom-fabricated ASIF (Fig. 2).

The process of recording an ESBG begins with a homogeneous mix of a monomer, photoactive initiators, and liquid crystal sandwiched between two transparent ITO-coated substrates, all of which is exposed to intersecting laser beams that produce an interference pattern (Fig. 3). Photopolymerization is initiated in the areas of high light intensity, and monomers begin linking with one another to form polymer chains. Monomers diffuse into these bright regions to link up with the rapidly forming polymer chains.

Simultaneously, the LC, which will only mix with monomer, diffuses to the lowerintensity areas, which saturate and precipitate droplets that grow in size as the diffusion process continues. When the diffusion process has reached an appropriate stage, the H-PDLC is flooded with uniform laser light to completely surround the LC droplets with polymer, resulting in a solid hologram layer. No further processing is required.

Because the diameters of the LC droplets are considerably less than the wavelength of light, the "clouds" of droplets in the incoming light appear as a homogenous region with an average index of refraction slightly higher than that of the interspersed polymer regions. Controlling the dynamic balance of the rates of diffusion and the rates of polymerization is the key to higher modulations, and hence higher efficiency. The resulting ESBG exhibits very high diffraction efficiencies. When an electric field is applied via the ITO electrodes, the natural orientation of the LC molecules is changed, which causes the refractive-index modulation of the fringes and hence the diffraction efficiency - to reduce with increasing voltage. This effectively erases the hologram.

Color-Sequential Filter Technologies

Color Wheels. Color wheels enjoy an established market. Their high throughput has so far enabled them to evade challenges from competing solid-state technologies. Balzers and OCLI are the principal suppliers of color wheels for single-chip projection-display

innovative technology




Fig. 3: An ESBG is fabricated by exposing a homogeneous mix of monomer, photoactive initiators, and liquid crystal to intersecting laser beams that produce an interference pattern.

engines, offering a range of components customized for different diameters, segment arrangements (such as RGB and RGBW), number of segments, etc.

However, color wheels have several important limitations: they are noisy, bulky, require complex control electronics, and are not reconfigurable. Achieving high frame rates is difficult. In rear-projection displays or video front projectors, the time required for the transition regions between the color wheel's segments to pass over the microdisplay's active region - typically 4% of the frame time, or 660 µsec for a 60-Hz system - must be considered as down time in terms of illumination. This additional loss of light during color transition periods can be as high as 16% of the available light. To minimize transition time, the light beam needs to be focused down to a small spot on the wheel, which requires more complex illumination optics.

ColorSwitch[™]. The ColorSwitch[™] LC switching technology developed by ColorLink offers a possible solid-state replacement for color wheels. A ColorSwitch[™] is a transmissive device consisting of a stack of switchable complementary color retarders sandwiched between linear polarizers.

This patented technology offers the advantages of solid-state devices. It is silent, allows independent electronic control of RGB transmission levels, and allows additive and subtractive primary outputs (as well as black and white), and programmable color sequencing.

Claimed turn-on times of 0.25-0.60 msec are probably adequate for many applications, but may not be fast enough to eliminate color break-up without a significant sacrifice in throughput efficiency. The ColorSwitch is incompatible with MEMs-based systems because it requires linearly polarized light.

ASIF™. The ASIF™ also has significant advantages over color wheels. ASIFs are quiet and reliable, and they do not require the complex control electronics needed by color wheels. As a result, the cost of systems with an ASIF is very likely to be less expensive than color-wheel systems. ASIFs also offer very good contrast and black level, help avoid color break-up, and provide an opportunity to adjust dynamic color balance.

Black level and contrast can be significantly enhanced in low-brightness scenes by dynamically adjusting the ASIF throughput level – its diffraction efficiency – in response to the changing peak brightness of the scene being displayed. And by taking advantage of the ability to adjust dynamic color balance, users can trade-off color gamut against brightness. Automatic adjustment of ASIFs can compensate for the changing color of an aging lamp, thereby extending the usable life of the display product.

Unlike a color wheel, an ASIF does not require a focused beam spot. This simplifies the illumination optics and permits more efficient RGB separation. ASIFs offer the projection-engine designer additional options. For

example, an ASIF can have lens-like characteristics, and can therefore form part of a collimation system or can converge light onto the display panel. ASIFs can also switch much faster than the transition times required for color wheels. In an RGBW system, assuming 50-µsec switching, the average "on time" duty cycle for each quadrant is increased from 21 to 24.7%, or by 18% in terms of overall throughput.

The continuing trend towards ultraportable front projectors is likely to emphasize the weight and volume difficulties of the color wheel. The obvious approaches for reducing color-wheel weight and size, or improving performance, produce their own problems. Reducing the wheel's size makes the dutycycle problem worse. Spinning the color wheel faster or adding more color segments helps reduce color break-up, but these approaches are hindered by such problems as increased noise, greater control complexity, increased centripetal force of the spinning wheel, and higher duty-cycle losses due to the greater number of color-wheel transitions. The fast switching speed in the ASIF permits the elimination of color break-up without the color wheel's problems.

ASIFs exist in two varieties: (1) standard switching, used with randomly polarized light, which is suitable for MEMs-based applications, and (2) alternative switching, used with linearly polarized light, which is appropriate for LCoS-based systems.




Fig. 4: Optical throughput is an issue for ASIFs, but a materials-development program aimed at improving refractive-index modulation and reducing scatter should yield device throughputs for R, G, and B in the production ASIF, shown above, that would permit system throughputs approaching those of color-wheel-based systems.

Spectral Matters

An ASIF can be configured to give high diffraction efficiency over the broad bandwidths required for illumination filters. When it is necessary to reduce the spectral bandwidth, the properties of reflection Bragg holograms allow the device designer to construct filters with very narrow bandwidth and high efficiency. For this reason, reflective ASIFs are able to provide large color gamuts. A typical reflection ASIF based on five separate ESBG layers can provide a gamut exceeding SMPTE-C because the gamut is derived from the switchable combination of narrow-band filters matched to a specific lamp spectrum. However, as with any filtering system, gamut needs to be weighed against throughput.

Throughput is an issue for ASIFs, but transmission losses resulting from the mismatch between the refractive indices of the switching electrode and ESBG can be reduced significantly by means of antireflection coatings. Scatter arising from Bragg diffraction inefficiencies and material non-uniformities is effectively eliminated when an ASIF layer is switched to its transparent mode. Other contributions to scatter and absorption will arise from surface imperfections, polymerization residues, and contaminants, which can be

controlled by improved coatings and materials processing.

DigiLens is focusing its materials-development program on improving refractive-index modulation and reducing scatter, and we are on schedule for delivering improved materials that will yield sufficiently high throughput efficiency for most projection applications. Based on these improvements, we anticipate device throughputs for R, G, and B in the production ASIF that should enable system throughputs approaching those of colorwheel-based projection displays (Fig. 4).

Looking Forward

The rear- and front-projection display markets will be split between three- and single-chip microdisplay systems, with brightness and strong color gamut becoming key technical criteria. Particularly in the higher-resolution HDTV segments of the market, where microdisplay prices are higher, manufacturers are likely to look for novel single- and dual-chip solutions to reduce costs. We at DigiLens believe our ESBG technology is well suited to these systems. We have working demonstrations of the technology, and components are being developed for some of the world's leading projection-display manufacturers.

A Designer and Manufacturer of Custom LCD and Microdisplay Systems.

Career Opportunities

Senior Project Electrical Engineer -Microdisplay

Electrical Application Engineer -Microdisplay

Sales & Marketing Engineer -Microdisplay

Senior Program Manager

Test Engineering Manager

Senior Project Engineering

LCD Process

Senior Test Project Engineer

Failure Analysis Engineer

Failure Analysis Technician

For more information visit us at www.threefive.com.

Please email your resume to: resumes@mail.35sys.com.

Or send to: Three-Five Systems, Inc., Human Resources, ID, 1600 N. Desert Drive, Tempe, AZ 85281. Fax: 602-389-8989.

An Equal Opportunity Employer

We Display Excellence

Computex Taipei 2000

Fujitsu's new 23-in. AMLCD appeared in three monitors at Taiwan's premier IT show – an essential stop for many members of the global computer industry.

by Bryan Norris

HE exhibition of pre-production 23-in. AMLCD monitors by AmTRAN, neovo, and ViewSonic was only one of the things that made the 20th Taipei International Computer Show (Computex Taipei) a happy event. The business atmosphere at the show, held June 5–9, 2000 in Taipei, Taiwan, was relaxed and positive – a far cry from the tense mood during the general-election period in May, when China's reaction to the newly elected government's initially confrontational stance on independence remained uncertain. But both sets of leaders know that the best interests of their people lie in peaceful co-existence since their industrial success is so inextricably linked.

The monitor industry is a perfect example of this symbiotic relationship. Taiwanese companies now produce nearly 60% of the world's monitors, but three-quarters of these are manufactured at offshore plants, primarily in mainland China, said Victor Tsan, Director of Taiwan's Market Intelligence Center (MIC), during his opening-day address at the international press conference. Tsan commented that Taiwan is the world's third-largest IT supplier, with an output valued at US\$46 billion in 1999. This represents a growth of 18.4% over 1998, well above the 14.6% which had been predicted.

Bryan Norris is co-founder of Bryan Norris Associates, Consultants to the Displays Industry, 7 Biddenham Turn, Bedford MK40 4AT, U.K.; telephone +44-(0)-1234-26-7988, fax +44-(0)-1234-26-2345, e-mail: bnorris@ kbnet.co.uk. Mr. Norris is a contributing editor to Information Display.

So Computex Taipei, the country's premier IT show, is an unmissable event for many in the industry. Indeed, the 20th Computex Taipei attracted a record number of exhibitors 1030 compared to 912 last year – and a record 31,932 visitors. The show's organizers, the China External Trade Development Council (CETRA) and the Taipei Computer Association (TCA), were particularly pleased that the number of overseas attendees had grown appreciably. The main increase came from Asian "buyers" (up 38% from last year) who numbered 14,282 (including 6241 from Japan, 2202 from Korea, and 2142 from Hong Kong); and from the North American contingent, up 16% from 1999 at 4235.

Of this year's 1030 exhibitors, 44 Taiwanese companies were listed in the show catalogue as supplying color CRT monitors (compared with 47 last year), while 73 companies offered some kind of product incorporating an LCD panel (compared with 69 last year). Ten suppliers were still promoting monochrome models, seven were showing plasma screens, and four had electroluminescent displays.

Where to Go and Whom to See

Most of the monitor exhibitors were housed in the main exhibition hall of the Taiwan World Trade Center (TWTC), where the "Display Area" was in Section D (Fig. 1). Companies such as ADI, Anbonn, Action (Axion), BFG (Sky Wide), Bridge, Channel (CEM), ETC (Fair Electric), KFC (Smile), Operlence (Cheer), Royal, TVM, and Vicam (Video-Com) could be found here. Surprisingly, Essex Monitor Co. (ProView), CTX, and MAG each had its own fairly substantial stand, even though these three companies are now part of the same "team."

Elsewhere, the recently opened Exhibition Hall 2 mostly housed PC assemblers and motherboard makers, although there were a few exhibitors with LCD monitors, namely, *Multiventure Technologies* (Altima), *Twinhead*, and local PC maker *Quanta Computer Inc.*, which seems to have adopted the brand name Q-lity. Although this new hall was onl one block away from the TWTC, the hot and humid weather meant visitors gratefully hopped on the frequent shuttle buses to get there and back.

Once again, some of the more prominent monitor suppliers were occupying large roon in the Taipei International Convention Cente (TICC), across the road from the TWTC. Th companies promoting monitors here were Compal, Mitac, ProView, Tatung, TECO, an Top Victory (AOC). This year, the PC assen bler Clevo was not showing any LCD monitors, although it was demonstrating an interesing developmental LCD PC. A number of other monitor companies were also found in suites at the nearby Grand Hyatt Hotel—notably AmTRAN and Lite-On—and Top Visional newcomer Ray Systems Technologies showing their extensive ranges of LCD model

Another monitor supplier new to the show was *Homlan*, which was showing an impressive range of 15–21-in. Viewtec-branded CR monitors as well as 13.3- and 15.1-in. LCD models. The company is apparently looking for distributors in Europe. And another new

monitor name (if not supplier) appeared at the show. The large-screen (28-32-in.) manufacturer Fan Shaing, whose monitors were branded Fancy last year, was now using the

name Monix - only an x away from Maxdata's Monxx!

But with all the interest surrounding the new faces, did anyone notice the absence of

CETRA Press Service

Fig. 1: Most of the monitor exhibitors at Computex Taipei 2000 were housed in Section D of the Taiwan World Trade Center's main exhibition hall.

old ones? Shamrock was missing, for one. Its production facilities had been taken over during the year by Great Sun Technology (Sun), along with those of GVC. Although Sun-branded monitors do appear in Holland and Germany, the company is geared more towards making OEM models, notably for NEC in Taiwan. Displays from Sun were viewed through a giant bezel on the front of its stand (Fig. 2).

CRTs Continue Down the Flat Road

Unsurprisingly, the suppliers of CRT monitors were concentrating on showing their larger products, mainly 17- and 19-in. models. Even companies who have traditionally specialized in small-screen models, such as TVM, now offer 17- and 19-in. products, and tend to show off only their new, larger displays.

And of course most of the limelight went to the "flat" 17-and 19-in. CRT monitors. Taiwanese manufacturers were offering a variety of models using Mitsubishi's Natural Flat (NF) DiamondTron[™], Sony's FD Trinitron[®], LG's Flatron[™], and Samsung's Dynaflat[™] tubes. Given that this was the first Computex at which models using Samsung's Dynaflat (and LG's Flatron) tube were shown, the number to be found was impressive. At least 13 models with Dynaflat tubes could be found among the branded suppliers alone, including these previously unseen models: a 17-in. model from Acer, two 17-in. and two 19-in. models from both AOC and CTX, and 17and 19-in. models from both ProView and Tatung. Also using the Dynaflat tube were 17-in. monitors from Bridge and Operlence, and 17- and 19-in. monitors from Sampo (which had already been previewed at CeBIT).

In the branded sector, NF monitors were on offer from Acer [a 17-in. (see Fig. 3) and a 19-in.], Lite-On (17-in.), and ViewSonic (two 17-in., three 19-in. - one of them new - and a 22-in.). FD Trinitron models were seen from ADI (one 15-in., two 17-in., and one 19-in.), CTX (one 15-in., two 17-in., one 19-in., and one 21-in.), and MAG (one 15-in., three 17-in. - one of them new - and a 19-in.). And Malaysian Likom was showing a 17-in. monitor with LG's Flatron tube.

Apart from the goodly array of "flat" models, the only other CRT product that stood out, literally, appeared on the Bridge stand. Undeterred by the fact that sales of its multicolored-case 17-in. CRT monitors (no longer

show report



Great Sun Technology

Fig. 2: Great Sun Technology, which makes OEM monitors for companies such as NEC Taiwan, grew even bigger in the year since Computex Taipei 1999 by taking over the production facilities of Shamrock and GVC.

called "iMonitor") had apparently not been too encouraging over the year, the company still seems keen to expand its reputation for innovation. Its main attraction was a 3-D monitor with accompanying spectacles to view fairies in 3-D. This unit was on the corner of the stand, facing out to catch the eyes of passers-by and it certainly managed to grab attention.

It's a Buyers' Market

But, in general, Computex Taipei is a not a show that looks *too* far into the future. Most of the exhibitors are more concerned with the nitty-gritty business of selling – spending time playing host to their existing buyers and courting new ones. In fact, quite a large number of the monitor suppliers concentrate on selling OEM monitors to others in the business.

Taiwan's MIC reported that 79.6% of the 14.3 million CRT and LCD monitors made in Q1 '00 were OEM models, up from 65.4% (of 13.8 million) in the same quarter of 1999. So a host of names known primarily for their OEM monitors was taking advantage of Computex Taipei as a selling forum, including AmTRAN, Channel, Compal, Sun, Jean, KFC, Lite-On, ProView, Royal, TECO, and TopVision.

AmTRAN is a supplier of high-specification displays to a number of European monitor suppliers including Formac, Video 7/ Macrotron, and ViewSonic. In its usual suite at the Grand Hyatt Hotel, the company demonstrated its current and forthcoming products. AmTRAN's new range of CRT monitors includes three 17-in., one 19-in., and two 21-in. models using Mitsubishi's NF Diamondtron tubes, and one 30-70-kHz 17-in. model employs Samsung's Dynaflat tube. Using a variety of panels from various suppliers, AmTRAN provides an LCD line-up that includes a 12.1-in., two 14.1-in., three 15.0-in., one 15.1-in., and two 18.1-in. models. And the company did include one "nextgeneration" product in its suite: the AX231, a 23.1-in, model (with a Fujitsu panel).

Compal enjoys a close relationship with a number of major PC houses including Dell, Fujitsu-Siemens, and H-P. At the show, the company was going for an all-flat CRT range, using NF Diamondtron tubes from Mitsubishi, Dynaflat tubes from Samsung, and the new Hitachi 21-in. tube in models assembled in China for Hitachi itself and other OEMs.

Jean became the fifth-largest Taiwanese monitor maker in 1999, having made 3.5 million monitors and achieving a turnover of

US\$560 million. By producing over 6 million units in 2000 and 9 million in 2001, the company aims to be Number 3! With backup service centers in Holland and the U.K., 27% of Jean's sales are to Europe (and 65% to the U.S.A.). Production of 14-in. models is being phased out in order to concentrate on 15-, 17-, and 19-in. CRTs, as well as LCD monitors. This production profile better fits the needs of clients such as Compaq, Gateway, and H-P. On its stand, Jean was demonstrating two 17-in. Internet-ready monitors.

One supplier whose success at selling made news during the show was *Lite-On*, which won a contract to supply Gateway with 100,000 17-in.-and-over monitors per month starting in June. (Gateway also sources from LG and MAG.) Lite-On concentrates on supplying the OEM market, although there is some talk about the company's promoting its own brand in Europe. The new range of displays shown in Lite-On's suite included a 30–70-kHz 17-in. NF monitor and two 15-in. LCD models.

Royal (Information Electronics Co.), which already claims to be the Number 1 CRT-monitor seller in China, has an impressive client list in both America and Europe, which take 40% and 45%, respectively, of the company's output. Royal is especially strong in Germany, where its customers have included Actebis, Karstadt, Lion, Maxdata, Media Markt, and Vobis. At Computex, the company was promoting its latest 17-, 19-, and 21-in. CRT monitors, along with three LCD models - two 15-in. units (one using an Hitachi panel and one using an LG panel) and an 18-in. (with an LG panel). New 17- and 19-in. CDT models employ LG's Flatron tubes.

TECO is a company with German clients similar to Royal's. It is actually one of Taiwan's largest IT companies, making a range of products from industrial motors to electronic components, including feedback transformers, yokes, and cathode-ray tubes. The company doubled its production of monitors in from 1998 to 1999, producing 1.3 million units. At the show, TECO introduced its new Pure Flat Genisys line, which features 30–95-kHz 17- and 19-in. models.

Top Victory (AOC) is continually ramping up its monitor production in China to the benefit of its AOC-branded models, but more especially to the advantage of its OEM clients. Overall sales in Europe alone are pushing

towards one million units a quarter, and production is scheduled to reach one million pieces a month for the second half of 2000!

LCD Suppliers Look for Local Panels

There were over 40 exhibitors at the show with LCD desktop-monitor displays (while many others were demonstrating LCD units designed for non-standalone-monitor applications such as LCD PCs and point-of-sale and industrial terminals). At least 19 of these companies were demonstrating 18-in. LCD monitors, compared with just six last year. Among the suppliers joining the "18-in. club" were two newcomers to the monitor industry, Ray System Technologies and Homlan (Viewtec). Another new face at Computex Taipei was the Korean company Cornea, which was displaying its range of 13.3-, 14.1-, and 15-in. monitors in the foreign exhibitors' area. But the undoubted LCD star of the show was Fujitsu's 23-in. panel, which was demonstrated in three pre-production monitors shown by AmTRAN, neovo, and ViewSonic.

Plasma products also still manage to grab some attention. Acer Display Technology again showed its 42-in. color plasma monitor - which uses Acer's own panel - although this model has yet to reach market. Sampo was promoting two 42-in. units as TV monitors, so they were being shown separately from the computer displays and instead appeared with peripheral products on a second Sampo stand.

The Taiwanese display manufacturers were looking forward to increased LCD panel/module availability, particularly from local suppliers. So, although the 17-in. LCD models at the show were fitted with Samsung panels, many suppliers expect to incorporate locally made 17-in. panels in the near future.

Compal, for example, already uses a Hannstar panel in its 15-in. monitor and is planning to put a Hannstar 17-in. panel into its next 17-in. LCD monitor. Acer Peripherals will almost certainly use a 17-in. panel from its in-house supplier. Similarly, Quanta Computer will use panels from its subsidiary and, once Unipac starts mass-producing its 17-in. panel, TECO is likely to introduce monitors employing it and in the 14.1-in. modules as well.

Why Buy It When You Can Make It?

According to Taiwan's MIC, monitor production by Taiwanese companies grew by 17.7% to 58,729,000 units in 1999, equating to a 58% share of global production volume. By value, production grew by 24% to US\$9.3 billion, helped especially by the 24% growth in LCD-monitor shipments. Regarding CRT

monitors, the Taiwanese makers now concentrate primarily on 17-in. models. However, it is interesting that the emergence of Internet offers giving away "free PCs" has apparently led to an unexpected rise in demand for the smaller, lower-cost monitors.

Despite impending shortages of both tubes and semiconductors, most of the top ten Taiwanese producers were talking about increasing output of both CRT and LCD monitors by 50-100% this year. These producers include Acer Peripherals, ADI, Compal, Jean, Lite-On, Royal, and Tatung. Thus according to MIC forecasts, 112.4 million monitors will be shipped worldwide in 2000 (up 14.4% from the 101.3 million shipments in 1999). Of these, Taiwan is expected to account for 67.5 million (60%).

Since 55% of the value of an LCD monitor is taken up by the panel, and 80-85% by the module unit, many monitor manufacturers such as Acer Display, Quanta Computer, Tatung, and TECO - highly value their investment in Taiwan's emerging LCD panel and module production facilities. The Taiwanese companies aim to become important world players in the production of LCD panels, modules, driver ICs, and backlight units - and it is not the Taiwanese way to pursue such initiatives slowly.

At the moment, the market for LCD backlight units is supplied mainly by Japanese and Korean companies. However, Taiwan currently has more than 10 backlight-module manufacturers, with Radiant Opto-Electronics, Prokia, and Yuan Chin leading the field. Thus, Taiwanese manufacturers are expected to provide half of the global demand for backlight units by 2004.

So, overall, the Taiwanese suppliers are bullish about the future. The general difficulties of the past year - such as the tricky general-election period and the reconstruction work needed after the earthquake - are behind them and they are looking forward to seeing their sustained investment in the monitor industry bear fruit during the first years of the new millennium.

Please send new product releases or news items to Information Display, c/o Palisades Institute for Research Services, Inc., 411 Lafayette Street, 2nd Floor, New York, NY 10003.



CETRA Press Service

Fig. 3: CRT-monitor makers were concentrating on flat-screen versions such as this 17-in. Acer monitor with a Mitsubishi Natural Flat DiamondTron[™] tube.



Microvision's SS200 series of display analysis equipment allows you to precisely, automatically and quickly measure display performance. And with many test laboratories currently using the SS200 series as their standard test system, shouldn't you?

The SS200 series includes the SS210, SS220 and SS230 systems. Each system allows for modular field upgrades for increased functionality - Buy what you need, when you need it! Each system may be used on any display type from CRTs & FPD to projection, cockpit and microdisplays. The familiar *Windows*-based GUI makes the equipment easy to use and personalize. All versions come with the time tested Spotseeker five-axis positioning stage integrated into all test sequences. Each system is a complete turnkey system with a computer, 5-axis positioner, monitor, software, spectrometer, and camera system. For automatic testing to ISO, VESA, NIDL & TCO specifications, or comprehensive analysis for engineering and quality control requirements, the SS200 series has the system for you!

SS210 System:

The SS210 package has a CCD camera to provide spatial measurements such as Line Width and MTF. It includes an integrated spectrometer for spectral analysis and color measurements and also includes an optional response time measurement capability.

SS220 System:

The SS220 system is the perfect choice for flat panel testing. It features spectrometer-based, off-axis measurements, color analysis, contrast ratio and luminance testing.

SS230 System:

The SS230 (pictured above) is a combination of the SS210 & SS220 system, resulting in the most comprehensive test system available. All tests are performed at NIST traceable accuracy.

Used by Test Laboratories Worldwide

MICROVISION



Dedicated to the Needs of the Display Industry

550 High Street, Auburn, CA 95603 USA Tel:(530) 888-8344 * Toll Free: (800) 931-3188 Fax: (530) 888-8349 * Email: info@microvsn.com Web site: www.microvsn.com

International Representatives: Japan - ARGO CORP., 06 339 3366 Taiwan - SUPERLINK TECH., 886 2 2698 3456 Korea - B & P INT'L, 02 546 1457 China - HUADONG, 86 25 5319677



WINDOW TOR DIGITAL

People are on the move. Are your products with them?

From mobile phones to PDAs, Samsung SDI LCD mobile displays help your products stand out in the crowd.


In today's hectic, crowded mobile marketplace, you need every advantage you can get to help your products stand out. And that's where LCD modules from Samsung SDI can make all the difference. Our low-power, high-response reflective color LCDs add superior value and performance to any phone or PDA. And with the industry's only touch panels built right into the module screen during production, you won't find a thinner, lighter panel anywhere for your PDAs or wireless Internet devices. Surf on over to www.samsungsdi. com for all the details today. And open up a whole new window in your digital future.

SDI America: 18600 Broadwick Street Rancho Dominguez. Ca 90220 USA TEL (310) 900-5219 FAX (310) 537-1033 E-mail joseph@sdiamerica.com www.samsungsdi.com

SAMSUNG

Samsung SDI, the new name of Samsung Display Devices,Co., Ltd(SDD)presents new display creation and total display solution.

Circle no. 16



Building to be the industry resource!





Industry directory:

- Free listings
- Free access

Is your record up to date? Check today: www.panelx.com/resources/whoswho.php3

Exchange: An efficient mechanism for matching demand and supply: see www.panelx.com/buysell

Panels database:

We are compiling a vast resource of data about the panels available. Your submissions are welcome: www.panelx.com/listing

News & PR: To see who is doing what in the panel industry, go to: www.panelx.com/news

We are also adding many other resources - see www.panelx.com

Telephone: Hong Kong: +852-2866-8585 / Toronto: +1 905- 337-3975 **E-mail:** sales@panelx.com, info@panelx.com, hr@panelx.com

Seeing is **Believing**

EmiClare™ EMI Shielded Windows

- More light transmission Less optical distortion
- Higher shielding performance -Lower cost

EmiClare windows deliver exceptional optical performance with high levels of EMI shielding. Their unique mesh system dramatically reduces text distortion. Light transmission is 65-70%. EmiClare windows utilize a proprietary shielding mesh, laminated between high optical polycarbonate layers, with front and rear protective coatings. Standard and custom EmiClare windows are available for LCDs, CRTs, PDPs and other flat panel technologies

Contact Chomerics for samples and complete technical details.

www.chomerics.com/emiclare

Woburn, MA Tel: 781-935-4850 Fax: 781-933-4318 mailbox@chomerics.com

Marlow, UK Tel: (44) 1628 404000 Fax: (44) 1628 404090 chomerics-europe@parker.com Hong Kong Tel: (852) 2 428 8008 Fax: (852) 2 423 8253 mailbox@chomerics.com

medical equipment, ustrial process meas ement Emiclare GP 70 win is use a proprietary i sh shi transmission proper and excellent EMI s iding (traditional EMI shie window designs in dition. elding **Conventional Mesh** a impi operations, all of this is **CHOMERICS** Parker Seals

Edit View Insert Format Table Graphics Tooks Window Help

b é U X 目標:

oticali

design

sever

shielded windows, fri provide exceptional

ed windows have bee

quipment, which sen

門局場具 美国ありさ

Emiclare™ GP 70 F

shielded windows.

shielding. These sh

concerns in electroi

EmiClare™

equipment

Circle no. 19

Short Course LIQUID CRYSTALS

Materials and Display Devices

Lecture/Laboratory Course November 14-17, 2000

This hands-on lecture/laboratory course emphasizes electro-optic applications and provides a working understanding of liquid crystal materials and technology. Lectures cover fundamental properties of liquid crystals and display applications. Small group laboratories concentrate on characterization of liquid crystals as well as device design and fabrication.

Cost: \$1,250

To register, call Kent State University's College of Continuing Studies at (330) 672-3100. For information on course content, contact Dr. Jon Ruth, Liquid Crystal Institute phone (330) 672-1555 fax (330) 672-2796 ipp@lci.kent.edu

Liquid Crystal Institute Kent State University Kent, Ohio



Sponsored by ALCOM, the National Science Foundation Science and Technology Center for Advanced Liquid Crystalline Optical Materials

KNOW



Introducing the VESA Flat Panel Display Measurement Standard

VESA's Flat Panel Display Measurement Standard has been developed by experts in the field of display metrology. Its easy to use format provides a description of each measurement with respective setup, procedure, analysis, reporting and comments. Data, examples and configurations are also included, as well as technical discussions and a glossary for those who are new to display metrology. \$39.95 plus shipping (CDROM with PDF version included)

VESA is the international non-profit organization that sets and supports industrywide electronic standards for the video, audio and graphics interface of computer designs. It develops open interoperable and international standards for the global marketplace, thus ensuring worldwide market growth.

For more on VESA, visit us at: www.vesa.org

or email us at sales@vesa.org



Working to make electronics work together.

920 Hillview Court, Ste. 140 Milpitas, CA 95035 408.957.9270 fax 408.957.9277

editorial

continued from page 2

On a personal note, it was gratifying to see the SID Display Technology Showcase 2000 CD-ROM, which we produce, being used by Christie Digital Systems to generate a custom-tailored sequence of images for their big projectors. I know these images very well, but never before had I seen them anywhere near this big – or projected with 10,000 lm. Nice.

It needs to be said that all is not roses in DMD-land. Although luminance is not an issue, TI is reportedly having trouble meeting demand for SXGA chips, and going to UXGA is, as they say in Scottish courts, "not proven." The chips are also on the expensive side, which is more of an issue for mid-range and portable projectors. Making the chips smaller helps, and TI has a 0.7-in. XGA and is working on a 0.9-in. SXGA chip, but smaller chip size tends to compromise luminous output from these reflective imagers.

Mid-Sized to Ultraportable

There's more of a mix of technologies here, with polysilicon-on-quartz LCDs in sizes from 0.7 to 1.3 in. playing a significant role. But DMD is a significant player here, as well, looking very good in a range of 3- and 5-lb. projectors. Among the most impressive 3-lb. projectors was Plus Corporation's 2.9-lb. U3-1080 with a single 0.7-in. XGA DMD chip producing 800 ANSI lumens from a 130-W UHP lamp unit. The ANSI contrast ratio is 300:1. A similar unit used a 0.7-in. SVGA DMD chip.

In Focus Systems showed its 4.8-lb. LP335, an XGA DMD projector that produces 1000 lm. This is an upgrade of the company's award-winning LP330 Dragonfly, which produced only 650 lm. (Just following the show, In Focus and Proxima ASA announced the successful conclusion of merger negotiations that have created the world's largest projector company. The new corporate moniker will be "InFocus Corporation.")

The first wave of projectors using liquid-crystal—on—silicon (LCoS) imagers made their appearance at INFOCOMM 2000, including units from Christie Digital Systems, JVC Professional, Samsung Electronics, and Everest. The Everest unit was producing 1300 ANSI lumens from a 150-W UHE lamp with three 0.97-in. XGA LCoS imagers. The Samsung unit was the rear-projection TV set using three Displaytech imagers that was previously seen at SID.

D-ILA Unchained?

It is not actually correct to say, as I just did, that NEC was among those showing the first wave of LCoS-based projectors because NEC actually had one more than 2 years ago. In fact, the Hughes-JVC D-ILA™ G1000 won the SID/Information Display Display Product of the Year Gold Award in 1998. But because of the unique intellectual history of the Direct-Drive Image Light Amplifier™ (D-ILA™), it was not initially as clear as it might have been that the D-ILA is indeed an LCoS device — although one with a difference.


Until recently, it was NEC's strategy to use the D-ILA only for its own products, but that strategy has changed. NEC will now sell D-ILAs on the open market, thus competing head to head with TI and other LCoS makers. The result was lots of traffic and lots of excitement in the booth, according to Bill Bleha, V.P., JVC Digital Image Tech Center.

The D-ILA differs from other LCoS devices, Bleha told ID, in its vertically aligned liquid-crystal layer, which can produce very high contrast, and in the inorganic material used under the mirror electrodes to block light from reaching (and activating) the pixelswitching transistors. This material is used

instead of the polyimide that is used in other LCoS devices. Polyimides deteriorate under ultraviolet light, so steps must be taken to limit UV exposure, including filtering out the UV and possibly limiting the device's exposure to overall luminous flux.

Because ILA technology was originally developed for very-high-flux applications (with the transistors switched optically from behind with light from a CRT), extremely effective light blocking was a major part of the design from the beginning. Bleha says that no voltage drop has been observed with over 4000 lm of output in the projection system, and that it will be possible to produce systems with more than 10,000 lm.

But NEC isn't quite there yet. The company has committed itself to the D-ILA technology and was not exhibiting the CRT-addressed ILA-12K projector shown 2 years ago that produces 12,000 lm. So, to show a bright and large image, it stacked two DLA-M4000 D-ILA projectors to get an 8000-lm image. The results were impressive, and without the artifacts seen on the high-output DMD projectors. (Projector stacking is a common ploy in the audio-visual world, and was being done by many INFOCOMM



Pioneer New Media

Fig 1. The floor of Pioneer's booth at INFOCOMM 2000 was a tour de force: 135 50-in. WXGA plasma displays operating as a single coordinated display.

exhibitors. Once set up, everybody's stacked projectors seemed to hold their convergence surprisingly well. Surprising to me, at any rate. The folks in the booths seemed to take it as a matter of course.)

So, DMD has output but is struggling with the next jump up in resolution. NEC seems confident that ILA can get to the required output, although it isn't there yet. How is DMD doing on resolution? Actually, quite well, and NEC seems to be following an ambitious technology road map. The DLA-M4000 mentioned above uses 0.9-in. imagers with a native resolution of 1365 × 1024 and a fill factor of 93%.

During INFOCOMM, JVC announced the development of a 1.3-in. QXGA (2048 × 1536) chip, with production scheduled for April, 2001. This is the device that will target electronic-cinema applications. Also announced, and available now, is a 0.7-in. SXGA+ (1400×1050) chip. Other chips scheduled for 2001 are a 0.9-in. UXGA, a 0.5-in. XGA, and a 0.5-in. HD 720P (1280 × 720) for HDTV. The following year - if all

goes according to schedule - will bring a 1.3-in. QUXGA (3200 × 2400) and a 0.9-in. full HD (1920 × 1080). By freeing D-ILA technology from the chains that bound it exclusively to JVC products, the company has accelerated the technology's development and made the microdisplay environment even more interesting than it was already.

Pioneers, Oh Pioneers!

INFOCOMM is not only about front projectors. If a display can be rented, installed by an audio-visual contractor, or used in a professional context, it is likely to be found here. Although there were large direct-view CRTs (including a very nice RCA 38-in. 16:9 full-HDTV set with a noticeably curved - not completely flat - face), and lots of LCD monitors, the most striking displays other than front projectors were plasma-display panels (PDPs) and stackable rear-projection cubes for video walls and dynamic signage.

Pioneer New Media had the most impressive PDP installation: 135 50-in. WXGA panels made into a video "wall" that was actually

the floor of the Pioneer booth (Fig. 1). The panels were protected by plexiglas panels on top, and were raised off the convention center's floor by a foot or so to accommodate forced-air cooling below. The rather elaborate image processing and show control was designed by Electrosonic. This was a unique display installation that probably set several numerical records - 133 million pixels, 8 billion pixels per second, etc., etc.

Panasonic had an arched video roof of PDPs, also controlled by Electrosonic, and a stand-alone 42-in. panel with very high contrast ratio that was subjectively impressive, as well as the beautiful 60-in. WXGA model that appeared at SID. There were also 37- and 50in. models to round off the offerings.

There were also PDPs from NEC, Fujitsu/ Hitachi, Mitsubishi, Samsung, and a variety of companies (such as ViewSonic) who are obviously packaging panels made by one of the above. Sony, which sells a lot of PDPs and also fits into this category, later bought into the Fujitsu-Hitachi plasma partnership.

Stackable rear-projection cubes were shown by a variety of makers, including Clarity, Pioneer New Media, and Meiko (Kanagawa, Japan). Clarity introduced its Lion cube, an SXGA unit with a 67-in. diagonal (Fig. 2). (The company is on a feline kick; its other models are Wildcat, Leopard, Tigress, and Lynx.) What is technically interesting about the Lion, other than its large size, is the fact that it uses a single 15.4-in. LCD panel as the imaging device. According to Product Manager Ed Kiyoi, this approach - when combined with a well-engineered light path - can produce outstanding color uniformity and contrast ratio that is dramatically superior to that produced by three polysilicon LCDs or by DLP. Clarity claims the Lion's contrast ratio to be 1500:1. I didn't measure it, but it was subjectively impressive. Kiyoi also commented that this "Advanced-Performance LCD" approach is being used in other products, with different-sized panels. "One of the advantages of using single-panel direct-view LCDs for projection is that there are a wide variety available from many different sources," said Kiyoi.

Kiyoi gave credit for a portion of the high CR to Jenmar's Hi-Gain BlackScreen, a glassbead screen that gives excellent contrast in bright ambients, he said. The Jenmar screen is standard on the Lion and optional on other Clarity models. A Jenmar screen also appears



Fig 2. A video wall consisting of six of Clarity's new 67-in. Lion rear-projection cubes. The Lion uses a single 15.4-in. SXGA AMLCD as its imaging device and has impressive contrast.

editorial

in the Meiko 50-in., which uses an XGA DLP engine.

Pioneer New Media, which identifies itself as the world's leading provider of video walls, knows that one of the things its customers

care about is a thin mullion - the bezel around the screen that determines the width of the black strip that separates the active areas of the cubes in video walls. Pioneer's standard mullion is 4 mm, but the new mullion - available as an option on the company's RM-V2550U cube - is less than 1 mm. The result is an almost seamless video wall.

Standard mullions are made of metal, and must be fairly robust to compensate for the thermal mismatch with the glass or polymer screen. The new mullion comes as part of a screen, which can be swapped for the conventional one. Both screen and mullion are acrylic, so there is no thermal mismatch and the mullion can be much thinner, said Marketing Director Craig McManis. Is there anything else interesting about the RM-V2550U cube? Yup. Although it's a recent "thin" (not very deep) product, it uses CRTs. "There is continuing strength in CRT technology," said McManis.

Just Plain Different

Then, there are those blue-sky ideas that don't get out the door of the tavern across the road from the lab, often to our relief, sometimes to our regret. At La Vidia Company (Seoul, Korea), they seem to get out the door. Idea Number 1 is the LAXVI, a rear-projection cube with a 100-in. diagonal that combines video presentation with laser graphics, annotation, or data presentation. The cubes can be stacked up to a 1000-in. diagonal. Idea Number 2 is the Janus, a projector in a sleek polymer roll-along case. The Janus can be used either as a front projector or, after raising a cover with an attached telescoping hood and a rear-projection screen, as a self-contained 40-in. retro-projector. The concept can work with any of a number of projectors, and La Vidia is looking for a projector-maker partner. You can reach the company through www. lavidia.com.

No report on INFOCOMM can conclude without mentioning the impressive INFO-COMM Shoot-Out - a hundred or so projectors (and some other products) of different sizes and resolutions presenting the same images at the same time. The overall quality of the products was excellent, with few obvious clunkers, and the long-running Shoot-Out itself can probably claim substantial credit for

The organization of the projectors this year was changed from "by resolution" to "by application," but it was a difference without much of a distinction. The ambient lighting was also varied for the first time this year, but since the variation was from very dark to pretty dark, not even those projectors with the




With touchscreen technology from MicroTouch, your possibilities are limited only by your imagination.

Expand the potential of your design projects by adding touch technology from MicroTouch. Only the global leader in touch, has the breadth of technology, industry-leading features, and worldwide engineering support you need to compete in today's exploding touch-driven market. Choose MicroTouch touchscreens, the designer's choice for any application in any environment.

Experience the power of touch by qualifying for your free working sensor. Then, you'll do more than just imagine the possibilities you'll realize them.

When Diverse Yacht Systems (UK) needed a touchscreen with seaworthy durability and premium optics for their Racevision product, they chose the TouchTek4 resistive touchscreen."We're delighted with the success of the touchscreen Racevision units - they were a major contributor for the winner of the Admirals Cup










Qualify for your free working touchscreen at www.microtouch.com/touch44a or call 800-642-7686.

lowest outputs were embarrassed. A new addition that did add value were three large outdoor LED displays, which were located on the loading dock in bright sunlight. Not surprisingly, small pixel pitch and high luminance are what contributed to the best-looking display.

Obviously, INFOCOMM is an interesting display-technology show. Next year's edition will be in Las Vegas, June 13-15, 2001 - the

week following the SID International Symposium in San Jose.

We welcome your comments and suggestions. You can reach me by e-mail at kwerner@ nutmegconsultants.com, by fax at 203/855-9769, or by phone at 203/853-7069. The contents of upcoming issues of ID are available on the ID page at the SID Web site (http://www.sid.org).



00 NOVEMBER Sixth International Conference on the Science and Technology of Display Phosphors SAN DIEGO, CALIFORNIA NOVEMBER 6-8, 2000 An international conference on the future prospects of phosphors for: - OLEDs - ELDs - FEDs - CRTs - Plasma Displays - PL Devices - LC Backlights

SID '01

Symposium, Seminar, and Exhibition San Jose, California San Jose Convention Center June 3-8, 2001



Redefining capacity.

Micronic is at the forefront in display photomasks and now offers the multi-beam pattern generators for increased productivity at maintained precision. We have created an innovative way of writing complex patterns in a highly cost-effective way.

We help our customers become world-leaders. If your business employs high-precision microlithography, and you are ready for the next step forward, you are invited to contact Micronic.



SPECTROS

R&D System for OLED/PLED Devices

Processes Substrates with Exceptional Film Uniformity, Repeatability, and Reliability

- Versatile Process Development Tool
- Modular and Flexible
- Standard Platform
- Multilayer Capabilities
- Four OLED Evaporation Sources
- Two Evaporation Boats for Metals
- Mask Storage Facility
- Optional Glove Box Interface

For more information...
e-mail: spectros@lesker.com

Kurt J. Lesker

412.233.4200 www.lesker.com


United States 1.800.245.1656 Canada 1.800.465.2476 United Kingdom + 44 1424 719101

Germany 0800 812 843 Hungary + 36 1 383 5322

00-072



DATA INTERNATIONAL IS YOUR ONE STOP SOLUTION FOR ALL YOUR LCD NEEDS LCD,LCM,TAB,COG,COLOR STN,TFT



YOUR MOST RELIABLE SOURCE

- . MOST COMPETITIVE PRICE
- · SHORT LEAD TIME
- · LOCAL ENGINEERING SUPPORT
- · LOCAL DISTRIBUTOR (ARROW ELECTRONICS OR BELL MICRO PRODUCTS)

					160	× 90	DG-16060	100.0x54.0x11.0	72.3 37.8	
					160	x 160	DG-16160	67.0x87.0x10.3	62.0*62.0	
					240	x64	DG-24064	180.0x65.0x10.0	132.0*39.0	
-98				100 m	CT.	7	DG-24064-02	160.0x85.0x10.0	132.0*39.0	
- 1/1		CHARACTER D	ISPLAYS			-	DG-24125	144.0x104.0x12.5	114.0'64.0	
No.	Character Fonts	Module Size (w x h x t)	Viewing Area	Character Size	Dot Size	28	DG-24128-01	170.0x103.2x14.0	129.0*75.0	
102	5X8 DOTS	58.0X32.0X10.0	35.0X15.24	2.945X5.545	0.545X0.645	-	DG-24128-05	144,0x104.0x12.5	114.0'64.0	
100	5X8 DOTS	80.0X36.0X10.0	64.5X13.8	3.07X6.56	0.55X0.75		DG-24128-06	144.0x104.0x12.5	114.0*04.0	
100	5X7 DOTS + cursor	122.0X33.0X10.0	99.0X13.0	4.84X8.06	0.92X1.10	40	DG-32240	167.1x109.0x10.0	122.0*92.0	
120	5X8 DOTS	151.0X40.0X14.7	120.0X23.0	14.5X6.0	1.765X1.152	F	DG-32240-14	72.3x88.6x7.8	62.2*81.4	
210	5X7 DOTS + cursor	122 0X44 0X10.0	99.0X24.0	4.84X8.06	0.92X1.10	28	DG-48128	270.0x100.0x14.5	224.0*65.6	
230	5X8 DOTS	85.0X29.5X10.0	52.5X16.1	2.78X4.89	0.55X0.50	32	DG-12032-01	49.8 x 18.2 1.79	42.55*12.2	
235	5X8 DOTS	85.0X35,0X10.0	62.2X17.9	2.95X5.55	6.50X0.65	64	DG-12064	53.0 x 71.7 x 1.90	42.0*31.0	
236	5X8 DOTS	85.0X38.0X10.0	62:2X17.9	2.95×5.55	0.55X0.65	1	UG-12094	970 X VITE X 1780	42.0 31.0	
244	5X8 DOTS	84.5X44.0X10.0	62.2X17.9	2.95X5.55	0.55X0.55	_				
252	5X8 DOTS	60.5X36.0X10.0	62.5X16.1	2.78X4.89	0.55X0.50					
257	5X8 DOTS	85.0X32.8X10.0	55.73X10.98	2.76X4.89	0.55X0.55					
275	5X8 DOTS	100,0X38,8X13,0	80.0X20.4	4.0737.76	0.75X0.90					
276	5X8 DOTS	100.0X38.6X13.0	80.0X20.4	4.07X7.76	0.75X0.90					
400	5X8 DOTS	87.0X50.0X10.0	61.4X25.0	2.95X4.75	0.55X0.55					
100	5X8 DOTS	182.0X35.5X10.0								
200	5X8 DOTS	116.0X36.0X10.0		TFT LCM Series						
210	5X7 DOTS + cursor	180.0X40.0X10.5								
211	5X8 DOTS	182.5X60.0X20.0								
220	5X8 DOTS	108.5X39.0X10.0	Туре	Resoluti		on	Dri	ver Type / Inpu	ype / Input System	
206-1	5X8 DOTS	86.0X39.0X14.0	1				The second secon			
400	5X8 DOTS	98.0X60.0X10.0			280x22	0		COG		
410	5X8 DOTS	146.0X62.5X10.5	1.8"			0	COG			
200	5X8 DOTS	118.0X36.0X10.0				480x234		NTSC		
200	5X8 DOTS	182.0X33.5X10.0	2.5"	2.5"		480×234		MTSC / PAI		

5.0

er Module No. Module Size Viewing (W x H x T) Area

DG-12232 84,0x44,0x10.0 50.5x16.5

COG NTSC / PAL

More displays available Call or visit our website

960x23

Circle no. 26

TROUBLESHOOTING MONITORS?

15 Day Evaluation Period



Every video pattern you need for complete monitor troubleshooting and alignment.

XtroniX[®]

The Troubleshooter Model 3030

- · 200KHz Horizontal Freq.
- · DDC Test
- · Auto Configuration Setup

Optional Color Measurement



XtroniX Corporation 3150 Clinton Court . Norcross, GA 30071 tel: 770.495.4881 www.xtronix.com





Circle no. 29



Value-Added Services

- High Bright Backlights
- * Anti-Reflective Films
- * Heaters
- * Custom Sub-Systems

Also—Monochrome Graphic, Character, and Panel Displays

Sizes: 1.8" to 15"

* Sharp is a registered trade name of Sharp Electronics Corporation. Part also compatible with LQ64D341

TFT Color LCDs with High-Brightness Backlights

408.523.8218

email@purdyelectronics.com www.purdyelectronics.com



^{6.4&}quot; Color TFT

W Canbbean Dr

Federal Air
Field

W Java Or
Field

Replaces
Sharp
LQ64D343*

Large Area Hard Masks.

Substrate sizes up to 32"x 24" (800 mm x 600 mm).

Precision and resolution in the micron range.

Highest Accuracy.

Excellent pattern and contour definition.

Manufacture with Direct Write Laser from customer CAD data.

Speedy times of delivery.

Highly skilled CAD staff.

Materials: Iron oxide and Chrome.

IMT Masken und Teilungen AG Im Langacher, Greifensee P. O. Box, CH-8606 Nänikon Switzerland Phone +41 1 943 19 00 Fax +41 1 943 19 01 E-Mail imtadmin@imtag.ch www.imtag.ch



Circle no. 31



Further information

Contact Peter Jones or Martin Salter ZYTRONIC Plc, Patterson Street, Blaydon, Tyne & Wear: England NE21 5SG

Tel: +44 (0) 191 414 5511 Email: info@zytronic.co.uk Fax: +44 (0) 191 414 0545 Web: www.zytronic.co.uk



Circle no. 32

SID '01

San Jose, California
San Jose
Convention Center
June 3–8, 2001


Mark Your Calendar Now!

SharpEye[™] Inspection Station

Inspection of Small Flat Panel Display Technologies

The **SharpEye[™]** small flat panel display inspection station is designed for the inspection of LCoS, OLED, MEM, EL, LTPS, FED, LCD and other emerging technologies.

The **SharpEye** [™] station can be configured to inspect all industry display formats such as **QVGA**, **VGA**, **SVGA**, **XGA**, **SXGA**, **SXGA**+, **UXGA** and **HDTV**.



SharpEye[™] offers system configurations to meet the exact production inspection requirements of the display manufacturer. Inspection parameters for defect resolution and classification, cycle time, data reporting, and automation are considered with each customer's application requirements.

For more product information visit our web site at www.iv-usa.com

Integral Vision
Simply POWERFUL Vision Solutions

Circle no. 33

USA: Tel.+1(248) 471-2660 Europe: Tel.+44 1234-843345

Japan: Tel.+81(3)5283-1217 Taiwan: Tel.+886(2)2378-9331 Fax. +1(248) 615-2971 Fax. +44 1234-843390

Email. sales@iv-usa.com
Email. sales@integral-vision.co.uk

Fax. +81(3)5283-1230/Marubeni Techno Systems Corp.

Fax. +886(2)2378-8667/TGC Ltd.

Korea: Tel.+82(02)548-7041/2 Fax. +82(02)548-6428/Sungwoo Intl. Trading Co.





SOLOMON Technology Corp. LCM Div.

No. 18, Ta-Yeh St, Ta-Fa Industrial Park, Ta-Liao Hsiang, Kaohsiung Hsien 831, Taiwan R.O.C.

Tel: 886-7-7886800 Fax: 886-7-7886808 Homepage:http://www.solomonlcm.com.tw Solomon Technology designs, manufactures and markets liquid crystal (LC) modules for communications equipment, medical equipment, industrial control, having been in the LC module business over a decade. Our product line spans stand, semi- and customer design display modules.

Solomon works for quality managerment. The plant already has ISO 9001 certification, and management will seek ISO 14001 certification within a year.

Are you CONFUSED by TESTING STANDARDS? Let Microvision's display test systems simplify them for you with AUTOMATIC test suites!

Microvision's SS200 series of display test equipment offers fully automatic test suites for flat panels, CRTs, projection & cockpit displays, in monochrome or color. One click of the mouse and your test suite is automatically initiated, performing fast & accurate measurements in accordance with ISO (9241 parts 3,7 & 8 and 13406-2), TCO (95 & 99), NIDL and VESA (FPDM) specifications. Or you can develop your own test sequence with Microvision's proprietary MATL software. With the SS200 family, you can quickly interchange between CRT and flat panel testing. And the system is portable and compact, fitting easily into any test area.

Used by testing laboratories world-wide.

MICROVISION

550 High Street, Auburn, CA 95603 Tel: (530)888-8344 * (800) 931-3188

Fax: (530)888-8349 Email: sales@microvsn.com





Visit our Website at: www.microvsn.com

Circle no. 35



LCD: TN LCD. STN LCD. FSTN LCD. Multi color ECB. SSCT

LCM: COB.TAB.COG.COF



Picvue Electronics, Ltd.

No. 12, Lane 468, Sec.2, Chien-Hsing Rd, Hsin-Fung, Hsin Chu, Talwan, R.O.C.
Tel: 886-3-5596145 Fax: 886-3-5572471 Contact Person: Jeff Chang (Ext.1313)
Website: www.picvue.com.tw E-mail:seles@picvue.com.tv





NATURE'S THIN FILMS LET YOU SEE ...

OUR THIN FILMS MAKE WHAT YOU SEE



- · Anti-Reflective Hot Mirrors
- · Lamination, Glass Cutting / Beveling

Extremely Low Defect*, Low Surface Roughness , Large Area Coating in High Volume.

*5KLux



THIN FILM DEVICES, INCORPORATED

Manufacturing and Corporate Office • 1180 North Tustin Ave. • Anaheim, CA 92807 714-630-7127 • Fax 714-630-7119 • email; sales@tfdinc.com • Website: www.tfdinc.com

Branch Offices: Germany • Tvb Germany D-79336 Herbolzheim, Allmendstrasse Phone: 07643/ 930550 • Fax: 07643/ 930550 email: rowoco@aol.com

Circle no. 37

Taiwan • Co-lite Technology, Inc. 724F-2 No. 37, Sec-2 San Min Rd. Pan Chiao City, Taipei Hsien, Taiwan Phone: 886-2-87738996 • Fax: 886-2-87738950 email: wuchite@ksmail.seed.net.tw

a view from the hilltop

continued from page 4

instead of less? Are we like the "paperless office," behaving contrary to a "clearly obvious" conclusion?

What I think is happening is that the worldwide relationships we are building through

these new electronic media are becoming so useful that we wish to strengthen them further through face-to-face encounters. Within the technical community, we do this through conferences, seminars, and visits to companies.


The electronic communications media have allowed us to increase the number of relationships that we can support, and have made them independent of location. Therefore, when we do want to solidify them through personal contact, or accomplish tasks that are too complicated to perform at a distance, we end up travelling - more than before.

Last September in my column titled "Search and Acquire," I suggested that the Internet provides a nearly instant worldwide capability for the acquisition of information and goods. However, certain kinds of information and goods are better suited to the Internet than others – an important but harsh lesson that many of the recently formed dotcom companies are now learning. However, for the rest of us, it is comforting to know that most conventional stores will be in business for many years to come and, in fact, will benefit from, rather than be threatened by, the Internet. Similarly, the traditional mail-order businesses are learning how to use both printed catalogs and the new electronic media to defend their market positions. It seems that the benefits of the Internet to established information and commerce providers are far exceeding the competitive threats.

The Society for Information Display is likewise beginning to discover how to do more for the worldwide display community through the use of the Internet. Our Web site is turning out to be a highly valued and extensively accessed information resource. While we expected that www.sid.org would provide useful information to the display community, we did not initially anticipate just how well the Internet would be suited to many of the search-and-acquire activities that SID members and others find so valuable.

By analyzing usage statistics, we are able to tell that many individuals access the site to check on conferences - and then end up registering for those conferences on-line rather than by mail or by standing in line upon arrival at a conference. Conference proceedings and other publications are being accessed and papers are being downloaded in large numbers. People networks are being developed through membership searches. Employment opportunities are being explored. The Web site (www.sid.org) is becoming the focal point for timely information on all that is important to the display community.

The Internet has also aided the internationalization of the Society. More detailed com-



munications can be transmitted instantly. For example, paper summaries can be forwarded to technical-program committee members anywhere in the world without loss of time or readability. Frequent communications can

and do take place with the Society's officers and with the SID office in San Jose. There is no noticeable difference between a local communication and one that spans the globe. For technical-data searches, for information about upcoming events, for access to publications, for forming people networks, and for working with others on specific information-intensive tasks, the SID Web site is becoming the medium of choice.

The SID Web site (www.sid.org) will continue to evolve and improve as we add more capabilities. And we can expect that these capabilities will only serve to enhance all of our other activities. Our conferences will continue to grow and we will add others that serve the growing display community. Our printed publications will benefit from easier dissemination of specific articles. And the worldwide networks of display experts will grow, and information exchanges will be facilitated.


It is my great honor and pleasure to be able to participate in this worldwide network we call the display community. I encourage and appreciate your communications with me. What new features would you like to see on the SID Web site? You can reach me via the Internet at silzars@attglobal.net or at president@sid.org, or by telephone at 425/557-8850, by fax at 425/557-8983, or by the everavailable paper medium known as the U.S. Postal Service at 22513 S.E. 47th Place, Issaquah, WA 98029.

Aris Silzars is President of SID and lives on a hilltop in Issaquah, WA.

SID '01

Symposium, Seminar, and Exhibition San Jose, California San Jose Convention Center June 3-8, 2001

Please send new product releases or news items to Information Display, c/o Palisades Institute for Research Services, Inc., 411 Lafavette Street, 2nd Floor, New York, NY 10003.



VTG-1108

- 80 MHz Double Pixel Clock for 160MHz Pixel Frequency
- 2k x 2k x 8bit Colours out of 16.7 million
- Scrolling colours or bitmaps for test pattern animation
- External Interface Adapters for LVDS, TMDS, PanelLink, DVI, RGB, Parallel-TTL interfaces and for future solutions

VTG-1135 VTG-1250 VTG-1300

- Pixel frequency up to 300 MHz
- Resolutions over 2048 x 1536
- DLL control with WinVTG.exe or user's own software (Basic, C++)
- Unlimited number of permanent patterns, timings, colours, palettes, signal formats and sequences

Distribution network

GERMANY: Meinhardt Electronic, +49 2129 4461 GERMANY: TL-Elektronic, +49 89 329 4490 HUNGARY: DEXON Systems, +36 1 335 7162 JAPAN: ARGO, +81 6 339 3366


KOREA: WE Corporation, +82 2 585 8253 TAIWAN: ACCESS Technology, +886 2 2299 6272 UK: Ginsbury, +44 1634 298900 USA: TEAM Systems, +1 408 720 8877



UNIGRAF Ov.Ruukintie 3 FIN-02320 Espoo, Finland Tel. +358 (0)9 859 550 Fax + 358 (0)9 802 6699 Email: sales@unigraf.fi http://www.unigraf.fi

Erratum

The Brill-Kelley Color Inversion Target that appeared in the June issue of Information Display was a developmental version, not the final version that should have been used. The final version appears below. It is this final version that also appears on the SID 2000 Display Technology Showcase Testing, Tuning & Demonstration CD-ROM.



NOVEMBER

Sixth International Conference on the Science and Technology of Display Phosphors SAN DIEGO, CALIFORNIA NOVEMBER 6-8, 2000

- · An international conference on the future prospects of phosphors for:
- OLEDs ELDs FEDs
- CRTs Plasma Displays
- PL Devices LC Backlights

NOVEMBER


8th Color Imaging Conference: Color Science, Engineering, Systems & **Applications**

SCOTTSDALE, ARIZONA NOVEMBER 7-10, 2000

- · An international multidisciplinary forum for dialogue on:
- Creation and capture of Color Images
- Color Image reproduction and interchange
- Co-sponsored with IS&T

SID '01

San Jose Convention Center San Jose, California June 3-8, 2001



Rugged Notebooks • Industrial Flat Panel Displays • Flat Panel Desktop Monitors

When it comes to displays, two things matter. The image has to look good in many types of light and the display itself has to be rugged enough to withstand harsh work environments. OCLI's HEA® ProtectTM reduces glare and reflection and adds ruggedness on all types of displays. So if you want to improve image quality and protect your valuable display, you need HEA® ProtectTM from OCLI, the leader in optical thin film coatings.



Sales Offices:

USA: phone (707) 525-6957 fax (707) 525-7841 • EUROPE (Scotland): phone (44) 1383-823631 fax (44) 1383-824287 ASIA (Japan): phone (81) 42 739-3561 fax (81) 42 720-5211

www.ocli.com

©2000, Optical Coating Laboratory,Inc. All rights reserved. HEA® is a registered trademark of Optical Coating Laboratory, Inc.

2d3D Inc. 3A International, Inc. 3Dfx Interactive, Inc. 3Dlobs 3M Company Ater Display Technology, Inc. ACON-Advanced Connectek USA Inc. Advanced Laser Technologies ADI Systems Inc. American Assoc. of Medicine (AAPM) **AMP** Incorporated Anglog Devices, Inc. Anson Group Applan Graphics Apple Computer Inc. AseV Display Labs Aten International, Inc. ATI Technologies, Inc Aurora Systems Avance Logic, Inc. Barco ny Display System **Broadcom Corporation** Canon Information System CEBus Chromo ATE, Inc Chrontel, Inc. Colorado Microdisplay Inc Compaq Computer Corp. Creative Labs, Inc. **Dell Computer Corporation** Delta Products Corporation DigiLens, Inc Digital Associate Digital Quake, Inc Display Laboratories, Inc EIZO NANAO Corporation Elo TouchSystems, Inc ELSA AG eMagin Corp **Engineered System Solutions** Envision Peripherals Inc. Epson Research & Develo Ergotron, Inc. EuroMAG Technology B.V Evens & Sutherland Computer Corp Foxconn/Hon Hai Fuitsu General, Ltd **Fullten Limited** Fulitsu Siemens Computers GmbH Genesis Microchip Inc. Griffin Technology Corp. Guillemot Research & Development SARI HannStar Electronic Corp. Hansol Electronics, Inc. Hewlett-Packard Compan Hirosa Flactric (IISA) Inc Hitorhi/NSA Hitarhi Flactronic Davicas IISA Honda Tsushin Kogyo Co., Ltd Hong Video Technology, Inc. Hosiden Corp./Philips Display Corp Hyodong Electronics Co. Ltd. I-O Data Dovice, Inc. i-O Display Systems I-PEX Company, Ltd. IBM Corporation (Compression ICTV IGS Technologies, Inc. ilyama Horth America, Inc. Imagination Technologies Group pla In Focus Systems, Inc. Infotronic Americo, Inc. Innovative Semiconductors, Inc Intel Corporation Inventer Corporati INVIBRO Technologies, Inc. JAE Electronics, Inc Jean Company, Ltd. Julo Electronics Corporatio Jupiter Systems Kawasaki Steel Corp Kopin Corporal Korea Data Systems Co., Ltd. Leader Instruments Corporat Lexmark International

LG Electronics USA, In Liesegang Electronics Gmbl



BE AMONG THE FIRST TO KNOW.

Remember the last time the competition got the jump on you? You'd probably rather not.

Avoid future catch-up scenarios and the nightmare of retrofitting. Participate in a dialogue with over 600 of the world's brightest technical specialists from more than 150 of the display industry's leading companies.

Establishing open and interoperable standards

For over a decade, VESA, the Video Electronics Standards Association, has provided a forum to establish open, interoperable display and display interface standards to foster industry innovation and global market growth.

Help shape the future of display technology

Through committee meetings, online work groups and special interest groups, VESA members have led the way in developing standards that have had a far-reaching impact on the future of display technology.

Thoroughly utilize VESA's extensive resources. Join today and take control of your company's future.

> Working to make electronics work together.

920 Hillview Court, Ste. 140, Milpitas, CA 95035 408.957,9270 fx 408.957.9277 sales@vesa.org www.vesa.org

Likom Computer System Sdn Bhd Matrox Graphics, Inc. Meltdown Systems LLC Microbus Designs, Ltd. MicroDesian Associates Inc. MTT Company, Ltd. Myson Technology, Inc. National Semiconductor Corporation National Physical Laboratory **NAVCOM Technologies** NEC Electronics, Inc. **NEC-Mitsubishi Electronics Display** Network Computing Devices, Inc. **NVIDIA Corporation** Olympus Optical Co., Ltd. OPLUS Technologies, LTD. Ontoma Corporation Orion Bertric Co., Ltd. Philips Components/FDS Philips Semironductor Business Group Phillips Semiconductors-Talwan PictureTel Corporation Planear Bestronic Corporation Pixie Technologies, Inc. Portrait Displays, Inc. Princeton Graphic Systems Pro Arch Technology, Inc. Quantum Dato, Inc. RGB Systems (dba) Extron Electronics Sage Incorporated Sompo Technology, Inc. Samsuna Electronics America Samsung Information Systems Sanya Multimedia Center USA StiTeth Software Inc. Seiko Epson Corporation Sienn Video International Inc. Sigmocom Co., Ltd. Silicon Image, Inc. Silicon Integrated Systems Corp. Silicon Motion, Inc. SmartASIC Incorporated Smile International, Inc. Sony Electronics, Inc. Sun Microsystems, Inc. Taiko Denki Co., Ltd. Talung Company of America, Inc. TECO Information Systems Co., Ltd. Telcordia Technologies Texas Instruments Semiconductor Texas Instruments Inc.-Digital Imaging Group Thine Electronics, Inc. Thomson Consumer Electronics Three-Five Systems, Inc. TopVision Display Technologies Toshiba America Electronic Components, Inc. Toshiba America Information Systems, Inc

Lite-On Group

MELCO, Inc.

Microvisian

Moley Inc.

NIDI

HIST

Panasonic

Philips Monitors

Photon Dynamics

Pixelfusion Ltd.

Pixelworks Inc.

Rainbow Displays

Raylar Design Inc.

Reflectivity, Inc.

Rendition Inc.

Rohm Co., Ltd.

S3 Incorporated

STMicroelectronics

Taxan Europe Ltd

Total Technologies Ltd.

Totoku Electric Co., Ltd.

Transmeta Corporation

Trident Microsystems Inc.

Vestel Electronik A.S.

Viditer, Incorporated

XFree86 Project

ViewSonic Corporation

TreySoft.Com

Unigraf Oy

Why compromise Opto-mise!

CRL Opto develops LCD technologies and creates advanced optoelectronic products and solutions.

Products

- Transmissive Miniature LCDs
- · Fast-switching Liquid Crystal Shutters
- Reflective LCoS Microdisplays

Services

- Specialist Coatings
- Optoelectronic / Display R&D
- · Microfabrication Service

Applications include:

Head-up displays, Head-mounted displays, 3D displays, Medical imaging, Thermal imaging, Simulation, Viewers, Printing, Compensation cells, Holography, Metrology.

Tel: +44 (0) 20 8848 6400 Fax: +44 (0) 20 8848 6653 Email: sales@crlopto.com

CRL OPTO

Visit our website: www.crlopto.com

CRL Opto, Dawley Road, Hayes, Middlesex, UB3 1HH, United Kingdom. CRL Opto is part of Central Research Laboratories, a scipher company

Circle no. 42

SID '01

San Jose, California
San Jose
Convention Center
June 3–8, 2001

Mark Your Calendar Now!



Balzers Thin Films has a new



name: Unaxis Optics. As always,



we will continue to ensure that the



world of information technology



moves ahead at the speed of light.



www.optics.unaxis.com

Headquarter

Unaxis Balzers Limited FL-9496 Balzers sales.optics@unaxis.com Tel. +423 388 44 44 Fax +423 388 54 05

Germany

Unaxis Optics
Deutschland GmbH
D-65366 Geisenheim
sales.optics.gh@unaxis.com
Tel, +49 6722 99 30
Fax +49 6722 99 31 61

North America

Unaxis Optics USA Inc. Golden, CO 80403 sales.optics.go@unaxis.com Tel. +1 303 273 9700 Fax +1 303 273 2995



Display Integration.

- Slim, high-bright/sunlight readable displays
- Ruggedized design ideal for vibration and shock sensitive applications
- Touch screen integration (IR, resistive, capacitive, SAW, NFI)
- NEMA4/NEMA12 designs
- Optical enhancements for improved contrast
- Redundant backlight designs for increased system reliability
- Field replaceable backlight

Bringing it all *TOGETHER*

Call us today at 1-800-422-0867 or visit our web site at www.ieeinc.com

You can see our flat panel displays at Electronica, Stand A2.200 and at EID, Stand F24



Shaping the Future with Innovative Display Technology Solutions Circle no. 44

OVEMBER

8th Color Imaging Conference: Color Science, Engineering, Systems & **Applications**

SCOTTSDALE, ARIZONA NOVEMBER 7-10, 2000

- · An international multidisciplinary forum for dialogue on:
- Creation and capture of Color Images
- Color Image reproduction and interchange
- Co-sponsored with IS&T

NOVEMBER

Sixth International Conference on the Science and Technology of Display Phosphors SAN DIEGO, CALIFORNIA NOVEMBER 6-8, 2000

- An international conference on the future prospects of phosphors for:
- OLEDs ELDs FEDs
- CRTs Plasma Displays
- PL Devices LC Backlights

calendar

Seventh Annual Symposium on Vehicle Displays. Sponsored by the SID Detroit Chapter. Contact; V. Cannella; 248/540-7830. Oct. 3, 2000 Dearborn, MI

Second Annual Display Industry Conference: Commercializing OLEDs. Contact: Intertech, 207/781-2150, fax -9800, email: info@intertechusa. com, www.intertechusa.com

Oct. 11-13, 2000 San Diego, CA

The Sixth Asian Symposium on Information Display (ASID '00) and Information Display China 2000. Sponsored by the SID Asia Region, ITE, IEICE, and XJTU. Contact: Prof. C. Liu, Xi'an Jiaotong University; +86-29-2668657, fax -2668659, e-mail: chlliu@xitu.edu.cn. Oct. 18-20, 2000 Xi'an, Shaanxi, P.R. China

The Sixth International Conference on the Science and Technology of Display Phosphors. Sponsored by DARPA and SID, Contact: Mark Goldfarb, Palisades Institute for Research Services; 212/460-8090 x202, fax -5460, e-mail: mgoldfar@newyork.palisades.org. Nov. 6-8, 2000 San Diego, CA

Eighth Color Imaging Conference: Color Science, Engineering Systems & Applications. Sponsored by IS&T and SID. Contact: Dee Dumont, SID HQ, 408/977-1013, fax -1531, e-mail: office@sid.org. Nov. 7-10, 2000 Scottsdale, AZ

Electronic Information Displays (EID 2000). Sponsored by SID. Contact: Trident Exhibitions, +44-(0)-1882-614671, fax -614818, e-mail: info@trident exhibitions.co.uk. Nov. 21-23, 2000 London, UK

The Seventh International Display Workshops (IDW '00). Sponsored by ITE and SID. Contact: IDW '00 Secretariat; +81-3-3423-4180, fax -4108. Nov. 29-Dec. 1, 2000 Kobe, Japan

The 17th Annual Flat Information Displays Conference. Sponsored by Stanford Resources. Contact: Laura Barretto at 408/360-8400, e-mail: sales@stanfordresources.com. Dec. 12-14, 2000 Monterey, California

2001 SID International Symposium, Seminar & Exhibition. Sponsored by SID. Contact: SID Headquarters, 408/977-1013, fax -1531, e-mail: office@sid.org. June 3-8, 2001 San Jose, California

Bergquist Touchscreen Other Touchscreens. When You Put A Bergquist Touchscreen Next To Others, The Comparison Is Clear. With Bergquist, you don't see the effect of the separator dots so your panel display stays clear. In a simple side by side comparison with the touchscreen you're using now and a Bergquist touchscreen, it's easy to see greater clarity. Brilliant colors, sharper images and crisper words, will all make your touchscreen easier to read and navigate. Better clarity, better product. See the clear difference today. Call 1.800.949.4021 301 Washington Street, Cannon Falls, Minnesota 55009 507.263.3766 Fax 507.263.5085

Circle no. 45

www.bergquistcompany.com

930mm / 600mm / 375mm

World Class, Double-Side, Vertical, In-line Cryo Pumped Sputter Coating Systems

Save 80%

 Up to 8 double-side process stations Substrates 930mm, 600mm, or 375mm wide Automated for Production
 Rack & Pinion Drives • Exc Condition • Professionally De-Installed • Ready to ship now • PhD Process Development Support

Alcatel - Comptech

Model SP-1 • 375mm (qty 1)

Ulvac

• 930mm (atv 3) • 600mm (qty 3)

WEB CATALOGUE

Throttle Valves, Pumps, Controls, Chambers plus Motion Components of all kinds.

SYSTEM INTEGRATION • FIELD SERVICE certified for Anorad and other Precision Motion & Robotic Systems.

Laser & Motion Development Co. www.lasermotion.com

3101 Whipple Road Union City, CA 94587 office@lasermotion.com

Fax-429-1065 510-429-1060

Circle no. 46

Internet Consulting

and

Database Research

Get on the "Net." Training, lectures, Web sites, and consulting by the former Executive Director of the Internet Society. Visit the SID homepage at

http://www.sid.org

Database research. Patent Searches, Technical Literature, Competitive Analysis, Market Research, Demographics

H.L. Funk Consulting 7 Diane Court Katonah, NY 10536 Telephone/Fax: 914-232-3530 E-mail: consult@hlfunk.com

Circle no. 47

sustaining members

Acer Display Technology Ad-Vance Magnetics, Inc. Advance Reproduction Corp. Agilent Technologies American Panel Corp. Applied Concepts, Inc. Applied Films Corp. Artesyn Solutions, Inc. Aurora Systems autronic - Melchers GmbH

BPS Babcock, Inc. Blue Fin Technologies Brimar Ltd. Brown & Sharpe Surface Inspection Systems, Inc.

Candescent Technologies Canon, Inc. CELCO The Cherry Corporation Chunghwa Picture Tubes, Ltd. Clare Micronix Integrated Systems, Inc. Clinton Electronics Corp.

Colorado Microdisplay, Inc. Compaq Computer Corp. Corning Incorporated Corning Japan K.K. Crystaloid Technologies CYRO Industries

DigiLens, Inc. Digital View, Inc. Display Laboratories, Inc. DisplaySearch Dontech, Inc.

Earth Computer Technologies ELDEC Corp. Electro-Plasma, Inc. eMagin Corp. Emco Electronics Ltd. Endicott Research Group, Inc. ERSO/ITRI

F-P Electronics Futaba Corp. R&D Center

Gerome Manufacturing Co., Inc. Hannstar Hitachi, Ltd.

Honeywell Hoya Corporation USA Hunet, Inc.

IBM iFire Technologies Imaging & Sensing Technology Imaging Systems Technology IMT Masken und Teilungen AG Incom, Inc Industrial Electronic Engineers, Inc. Infinite Graphics, Inc. Innova Electronics, Inc. Instrument Systems Interface Display & Controls, Inc. Intersery Corp. Intevac, Inc. InViso Ion Systems

Ise Electronics Corp. Kent Displays

LCD Lighting LC-Tec, Inc. Lexel Imaging Systems, Inc. Lite Array, Inc.

Lumin-Oz, LLC

Micronic Laser Systems AB Microsemi Corp. Microvision Corp. Minolta Corp. Mitsubishi Electric Corp. Mitsubishi Electronics America Molex, Inc. Motorola Telematics Computer Group NEC Corp.

Nippon Seiki Co., Ltd.

OCLI - A JDS Uniphase Company OES/ITRI

OKI Electric Industry Co., Ltd. Optoma Corp.

Optrex America, Inc. Philips Flat Display Systems Phosphor Technology Ltd.

Photon Dynamics Photo Research Pilkington Micronics Ltd.

Pioneer New Media Technologies Planar Systems

Plasmaco, Inc. Polar Vision, Inc. Polytronix, Inc.

Premium Allied Tool

Quanta Display, Inc. Quantum Data Inc.

Rexam Image Products ROLIC Research Ltd.

Sarnoff Corp. Schott Corp. Sharp Corp.

SI Diamond Technology Silver Cloud Manufacturing

SmartASIC

Sony Chemicals Corp. of America Sony Corp. Research Center Stanford Resources, Inc.

Superior MicroPowders

Supertex, Inc. Symbol Technologies, Inc.

Syntronic Instruments, Inc.

Tamarack Scientific TCO Development TDK Corp. **TEAM Systems** Techneglas, Inc. Terapixel, Inc. Thomas Electronics, Inc. Thomson Components & Tubes Three-Five Systems, Inc. Torrey Pines Research Toshiba America Electronic

Ultra Electronics Command & Control Systems ULVAC Technologies, Inc. LINIGRAF

Unipac Optoelectronics Corp. Universal Display Corp. Ushio America, Inc.

Components, Inc.

Video Electronics Standards Association

Viratec Thin Films Inc. Westar Corp.

White Electronic Designs, Inc. WINTEK Corp.

index to advertisers

Aydin Displays	10
Bergquist	51
Chomerics	31
CRL Opto	49
Data International	38
Display Products Technology	30
Ergotron	12
H. L. Funk	51
Grand Pacific Opto	37
IEE	50
IMT Masken und Teilungen	40
Integral Vision	41
Kent State University	31
Kristel Corp	19
Kurt J. Lesker Company	37
LCD Lighting	19
LMDC	51
Micronic Laser Systems	36
MicroTouch	34
Microvision	28,42
OCLI	47
Optis	39
Optrex America	C2

PanelX.com	30
Photo Research	18
Pievue Electronics, Ltd	42
Polar Vision	44
Precision Technology Group	35
Purdy Electronics	39
Quantum Data	5
Samsung Electronics	6,7
Samsung SDI	29
Silver Cloud Manufacturing	38
Solomon Systech Ltd	8
Solomon Technology	41
Team Systems	3
Thin Film Devices	43
Three-Five Systems	C4
3M Optical Systems	C3
Uniaxis	49
Unigraf	45
Vertex LCD	10
VESA	31,48
Westar Corp	9,11,13
XtroniX Corp	38
Zytronic	40

Business and Editorial Offices

Palisades Institute for Research Services, Inc. 411 Lafayette Street, 2nd Floor New York, NY 10003 Jay Morreale, Managing Editor 212/460-8090 x212 Fax: 212/460-5460 jmorreal@newyork.palisades.org

European Sales Office

George Isaacs 12 Park View Court The Paddock, Eaton Ford St. Neots, Cambridgeshire PE19 7SD U.K. Phone/Fax: +44-(0)-1480-218400 george@gandg.demon.co.uk

Sales Office

Palisades Institute for Research Services, Inc. 411 Lafayette Street, 2nd Floor New York, NY 10003 Tracy Leibowitz, Director of Sales 212/460-8090 x211 Fax: 212/460-5460 tleibowitz@newyork.palisades.org

Korean Sales Office

Jung-Won Suh Sinsegi Media, Inc. Masters Tower, Room 2410 553, Dowha-dong Mapo-ku, Seoul 121-040 Korea +82-2-313-1951/2 Fax: +82-2-312-7335 sinsegie@chollian.net




Attract more attention to your display with Vikuiti™ Display Enhancement Films from 3M.


They offer multiple backlight enhancement solutions to increase overall screen brightness. And with new polarizers for transflective and reflective mode LCDs, displays not only look brighter, but also whiter. All of which dramatically improves readability—making any display virtually irresistible to anything that sees it. Customers included.

To speak with a representative call 1-800-553-9215, or e-mail ostechserv@mmm.com for technical information.



Brighter. Wider. Better.





project at one time. A monitor with a viewing area so large, you can see multiple applications, a full detailed · spreadsheet or an entire design without scrolling. Imagine a monitor that is thinner, lighter and has a large screen so you can see your world, your way. Three-Five Systems'

have superior image quality and high resolution for full visual impact.

Improving your life, your products, your image, your world - Three-Five Systems' extensive line of microdisplay products is taking display technology to a whole new level.



Three-Five Systems, Inc. U.S.A. • 602-389-8600 Fax: 602-389-8801

Three-Five Systems, Ltd. Europe • 44-1793-549100 Fax: 44-1793-549135

Circle no. 49

For additional Information: email: micro@threefive.com www.threefive.com